


INVITATION TO BID STATE OF LOUISIANA DIVISION OF ADMINISTRATION OFFICE OF STATE PURCHASING				BIDS WILL BE PUBLICLY OPENED: <div style="font-size: 1.2em; font-weight: bold;">JUN 06, 2006 10:00 AM</div> PURCHASING AGENCY NO. : 107001	
=====> VENDOR NO. : SOLICITATION : 2207884 FILE NO. : OPENING DATE : 06/06/06 <div style="border: 1px solid black; height: 80px; width: 100%; margin-top: 10px;"></div>		SEE NO. 8 BELOW. RETURN BID TO <div style="text-align: right;">10:00 AM</div> <div style="display: flex; justify-content: space-between;"> 2207884 06/06/06 </div> OFFICE OF STATE PURCHASING OFFICE OF STATE PURCHASING POST OFFICE BOX 94095 BATON ROUGE, LA 70804-9095 <div style="display: flex; justify-content: space-between;"> <div> BUYER : AUGUSTINE JACKSON, CPPB BUYER PHONE : (225) 342-8018 DATE ISSUED : 05/12/06 REQ. AGENCY : 419260 </div> <div style="text-align: right;">FOLD HERE--></div> </div> <div style="text-align: center; font-weight: bold;">PUBLIC SAFETY SERVICES</div> <div> AGENCY REQ. NO. : ISIS REQ. NO. : 1287450 VENDOR PHONE : FISCAL YEAR : 07 CLASS/SUBCLASS : 20075 SCHEDULED BEGIN DATE : 07/01/06 SCHEDULED END DATE : 06/30/07 T-NUMBER : DPS05 </div>			
<div style="font-size: 1.1em; font-weight: bold;">FILL IN VENDOR NUMBER (FEIN), NAME AND ADDRESS ABOVE, BEFORE SUBMITTING BID.</div>					
UNIFORMS CONTRACT - CLASS A & B LA STATE POLICE & DPS					
TO BE COMPLETED BY VENDOR					
1. _____ PLEASE REMOVE FROM THIS COMMODITY CODE. 2. _____ DELIVERY WILL BE MADE IN THIS NUMBER OF DAYS AFTER RECEIPT OF ORDER. 3. _____ % CASH DISCOUNT FOR PROMPT PAYMENT IF MADE WITHIN THIRTY (30) DAYS. CASH DISCOUNTS FOR LESS THAN 30 DAYS OR LESS THAN 1% WILL BE ACCEPTED, BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. ON INDEFINITE QUANTITY TERM CONTRACTS, CASH DISCOUNTS WILL BE ACCEPTED AND TAKEN BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. 4. _____ BID BOND ATTACHED, _____ CERTIFIED CHECK ATTACHED, _____ OTHER, IF REQUIRED. 5. _____ BID REFERENCE NUMBER. (THIS NUMBER WILL APPEAR ON RESULTING ORDER OR CONTRACT).					
INSTRUCTIONS TO BIDDERS					
1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS. 2. ALL BID PRICES MUST BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATION TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER. 3. THIS BID IS TO BE MANUALLY SIGNED IN INK. FOLD HERE--> 4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. DESTINATION OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C.O.D" REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER. 5. AMOUNT OF BID BOND REQUIRED: _____ N/A _____ . 6. AMOUNT OF PERFORMANCE BOND, IF REQUIRED. _____ OR _____ 0% _____ OF BID. 7. DESIRED DELIVERY: _____ 090DAYS ARO 8. TO ASSURE CONSIDERATION OF YOUR BID, ALL BIDS AND ADDENDA SHOULD BE RETURNED IN AN ENVELOPE OR PACKAGE CLEARLY MARKED WITH THE BID OPENING DATE AND THE BID NUMBER, OR SUBMITTED IN THE SPECIAL ENVELOPE IF FURNISHED FOR THAT PURPOSE. 9. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE STATE OF LOUISIANA INCLUDING BUT NOT LIMITED TO L.R.S. 39:1551-1736; PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDARD TERMS AND CONDITIONS; SPECIAL CONDITIONS; AND SPECIFICATIONS LISTED IN THIS SOLICITATION. 10. IMPORTANT: BY SIGNING THE BID, THE BIDDER CERTIFIES COMPLIANCE WITH ALL INSTRUCTIONS TO BIDDERS, TERMS, CONDITIONS AND SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITHOUT COLLUSION OR FRAUD. THIS BID IS TO BE MANUALLY SIGNED IN INK BY A PERSON AUTHORIZED TO BIND THE VENDOR (SEE NO.30). ALL BID INFORMATION SHALL BE MADE WITH INK OR TYPEWRITTEN.					
VENDOR PHONE NUMBER: FAX NUMBER:		TITLE		DATE	
SIGNATURE OF AUTHORIZED BIDDER - SEE NO. 30, PAGE 3. (MUST BE SIGNED)			NAME OF BIDDER (TYPED OR PRINTED)		

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:	PAGE 2
<p>11 ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.</p> <p>12. CONFERENCE: NA NA NA</p> <p>13. BID FORMS. ALL WRITTEN BIDS, UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED: A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND; B. BID FILLED OUT IN PENCIL; AND C. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS.</p> <p>BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED. TELEGRAPHIC AND FAX ALTERATIONS TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED FORMAL BID AND WRITTEN ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING TIME. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT BID.</p> <p>14. STANDARDS OF QUALITY. ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFORMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.</p> <p>15. DESCRIPTIVE INFORMATION. BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.</p> <p>16. BID OPENING. BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS. WRITTEN BID TABULATIONS WILL NOT BE FURNISHED.</p> <p>17. AWARDS. THE STATE OF LOUISIANA RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS AND WAIVE ANY INFORMALITIES.</p> <p>18. PRICES . UNLESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SOLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.</p> <p>19. DELIVERIES. BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.</p> <p>20. TAXES. VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.</p>			

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:	PAGE 3
<p>21. NEW PRODUCTS.</p> <p>UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.</p> <p>22. CONTRACT RENEWALS.</p> <p>UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.</p> <p>23. CONTRACT CANCELLATION.</p> <p>THE STATE OF LOUISIANA HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING: (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; (3) MISREPRESENTATION BY THE CONTRACTOR; (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE; (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (6) ANY OTHER BREACH OF CONTRACT.</p> <p>24. DEFAULT OF CONTRACTOR.</p> <p>FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT. WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT, THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.</p> <p>25. ORDER OF PRIORITY.</p> <p>IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.</p> <p>26. APPLICABLE LAW.</p> <p>ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.</p> <p>27. COMPLIANCE WITH CIVIL RIGHTS LAWS.</p> <p>BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.</p> <p>28. SPECIAL ACCOMMODATION.</p> <p>ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.</p> <p>29. INDEMNITY.</p> <p>CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.</p> <p>30. SIGNATURE AUTHORITY.</p> <p>IN ACCORDANCE WITH L.R.S. 39:1594 (ACT 121), THE PERSON SIGNING THE BID MUST BE:</p> <ol style="list-style-type: none"> 1. A CURRENT CORPORATE OFFICER, PARTNERSHIP MEMBER OR OTHER INDIVIDUAL SPECIFICALLY AUTHORIZED TO SUBMIT A BID AS REFLECTED IN THE APPROPRIATE RECORDS ON FILE WITH THE SECRETARY OF STATE; OR 2. AN INDIVIDUAL AUTHORIZED TO BIND THE VENDOR AS REFLECTED BY A CORPORATE RESOLUTION, CERTIFICATE OR AFFIDAVIT; OR 3. OTHER DOCUMENTS INDICATING AUTHORITY WHICH ARE ACCEPTABLE TO THE PUBLIC ENTITY. 			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05		BIDDER:	PAGE 4
<p>1 BID DELIVERY INSTRUCTIONS FOR STATE PURCHASING:</p> <p>BIDDERS ARE HEREBY ADVISED THAT THE U.S. POSTAL SERVICE DOES NOT MAKE DELIVERIES TO OUR PHYSICAL LOCATION.</p> <p>BIDS MAY BE MAILED THROUGH THE U.S. POSTAL SERVICE TO OUR BOX AT: OFFICE OF STATE PURCHASING P O BOX 94095 BATON ROUGE LA 70804-9095</p> <p>BIDS MAY BE DELIVERED BY HAND OR COURIER SERVICE TO OUR PHYSICAL LOCATION AS FOLLOWS:</p> <p>OFFICE OF STATE PURCHASING CLAIBORNE BUILDING, SUITE 2-160 1201 NORTH THIRD STREET BATON ROUGE, LA 70802</p> <p>BIDDER IS SOLELY RESPONSIBLE FOR ENSURING THAT ITS COURIER SERVICE PROVIDER MAKES INSIDE DELIVERIES TO OUR PHYSICAL LOCATION. THE OFFICE OF STATE PURCHASING IS NOT RESPONSIBLE FOR ANY DELAYS CAUSED BY THE BIDDER'S CHOSEN MEANS OF BID DELIVERY.</p> <p>BIDDER IS SOLELY RESPONSIBLE FOR THE TIMELY DELIVERY OF ITS BID. FAILURE TO MEET THE BID OPENING DATE & TIME SHALL RESULT IN REJECTION OF THE BID.</p> <p>***** PUBLICIZING AWARDS. IN ACCORDANCE WITH L.A.C.34:I.535, UNSUCCESSFUL BIDDERS WILL BE NOTIFIED OF THE AWARD PROVIDED THAT THEY SUBMIT WITH THEIR BID A SELF-ADDRESSED STAMPED ENVELOPE REQUESTING THIS INFORMATION. *****</p> <p>**ATTENTION:**</p> <p>RECEIPT OF A SOLICITATION OR AWARD CANNOT BE RELIED UPON AS AN ASSURANCE OF RECEIVING FUTURE SOLICITATIONS. IN ORDER TO RECEIVE FUTURE SOLICITATIONS/AWARDS FROM THIS OFFICE, YOU MUST ENROLL IN THE PROPER CATEGORY ON LAPAC OR ON STATE PURCHASING'S AGPS BIDDERS LIST. ENROLLMENT IN LAPAC IS FREE AND PROVIDES EMAIL NOTIFICATION OF BID OPPORTUNITIES BASED UPON COMMODITIES THAT YOU SELECT.</p> <p>2 TERMS AND CONDITIONS. THIS SOLICITATION CONTAINS ALL TERMS AND CONDITIONS WITH RESPECT TO THE COMMODITIES HEREIN. ANY VENDOR CONTRACTS, FORMS, TERMS OR OTHER MATERIALS SUBMITTED WITH BID MAY CAUSE BID TO BE REJECTED.</p> <p>3 VENDOR'S FORMS. THE PURCHASE/RELEASE ORDER IS THE ONLY BINDING DOCUMENT TO BE ISSUED AGAINST THIS CONTRACT. SIGNING OF VENDOR'S FORMS IS NOT ALLOWED.</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:	PAGE 5
<p>4 <i>SUBSTITUTES. ONLY BRANDS AND NUMBERS STATED IN THE AWARD ARE APPROVED FOR DELIVERY UNDER THIS CONTRACT AND ANY SUBSTITUTION MUST RECEIVE PRIOR WRITTEN APPROVAL OF THE DIRECTOR OF STATE PURCHASING OR DESIGNEE.</i></p> <p>5 <i>PRICE REDUCTIONS. WHENEVER THERE IS A REDUCTION IN PRICE, WHICH IS LOWER THAN THE CONTRACT PRICE, OFFERED TO SIMILARLY SITUATED CUSTOMERS CONTRACTING FOR THE SAME PERIOD AND UNDER THE SAME TERMS AND CONDITIONS, SAID REDUCTION MUST BE PRESENTED DIRECTLY TO THE DIRECTOR OF STATE PURCHASING. NO PRICE REDUCTION ON A STATEWIDE CONTRACT MAY BE OFFERED TO AN AGENCY UNLESS THAT REDUCTION IS OFFERED TO ALL AGENCIES.</i></p> <p>6 <i>INVOICES. INVOICES WILL BE SUBMITTED BY THE CONTRACTOR TO THE USING AGENCY AND THE INVOICE SHALL REFER TO THE DELIVERY TICKET NUMBER, DELIVERY DATE, PURCHASE/RELEASE ORDER NUMBER. QUANTITY, UNIT PRICE, AND DELIVERY POINT. A SEPARATE INVOICE FOR EACH ORDER DELIVERED AND ACCEPTED SHALL BE SUBMITTED BY THE CONTRACTOR IN DUPLICATE DIRECTLY TO THE ACCOUNTING DEPARTMENT OF THE USING AGENCY. INVOICES SHALL SHOW THE AMOUNT OF ANY CASH DISCOUNT AND SHALL BE SUBMITTED ON THE CONTRACTOR'S OWN INVOICE FORM.</i></p> <p>7 <i>PAYMENT. PAYMENT WILL BE MADE ON THE BASIS OF UNIT PRICE AS LISTED IN THIS CONTRACT; SUCH PRICE AND PAYMENT WILL CONSTITUTE FULL COMPENSATION OF FURNISHING AND DELIVERING THE CONTRACT COMMODITIES. IN NO CASE WILL THE STATE AGENCY REFUSE TO MAKE PARTIAL PAYMENTS TO THE CONTRACTOR ALTHOUGH ALL ITEMS HAVE NOT BEEN DELIVERED. THIS PAYMENT IN NO WAY RELIEVES THE CONTRACTOR OF HIS RESPONSIBILITY TO EFFECT SHIPMENT OF THE BALANCE OF THE ORDER. PAYMENT WILL BE TO VENDOR AND ADDRESS AS SHOWN ON ORDER.</i></p> <p>8 <i>PREFERENCE. IN ACCORDANCE WITH LOUISIANA REVISED STATUTES 39:1595, A PREFERENCE MAY BE ALLOWED FOR PRODUCTS MANUFACTURED, PRODUCED, GROWN, OR ASSEMBLED IN LOUISIANA OF EQUAL QUALITY.</i></p> <p>DO YOU CLAIM THIS PREFERENCE? YES_____</p> <p>SPECIFY LINE NUMBER(S) : _____</p> <p>_____</p> <p>SPECIFY LOCATION WITHIN LOUISIANA WHERE THIS PRODUCT IS MANUFACTURED, PRODUCED, GROWN OR ASSEMBLED: _____</p> <p>_____</p> <p>(NOTE: IF MORE SPACE IS REQUIRED, INCLUDE ON SEPARATE SHEET.)</p> <p>DO YOU HAVE A LOUISIANA BUSINESS WORKFORCE? YES_____ NO_____</p> <p>IF SO, DO YOU CERTIFY THAT AT LEAST FIFTY PERCENT (50%) OF YOUR LOUISIANA BUSINESS WORKFORCE IS COMPRISED OF LOUISIANA RESIDENTS?</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:	PAGE 6

YES_____ NO_____

 FAILURE TO SPECIFY ABOVE INFORMATION MAY CAUSE ELIMINATION FROM PREFERENCES. PREFERENCES SHALL NOT APPLY TO SERVICE CONTRACTS.

9 ACCEPTANCE. UNLESS OTHERWISE SPECIFIED, BIDS ON THIS CONTRACT WILL BE ASSUMED TO BE FIRM FOR ACCEPTANCE FOR A MINIMUM OF 60 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE SPECIFIED CONTRACT PERIOD.

10 CONTRACTUAL PERIOD. THE STATE OF LOUISIANA INTENDS TO AWARD ALL ITEMS FOR AN INITIAL PERIOD, NOT TO EXCEED 12 MONTHS. DELAYS IN AWARDED, BEYOND THE ANTICIPATED STARTING DATE, MAY RESULT IN A CHANGE IN THE CONTRACT PERIOD. IF THE SITUATION OCCURS, AN AWARD MAY BE MADE FOR LESS THAN 12 MONTHS.

11 QUANTITIES. THIS IS AN OPEN-ENDED REQUIREMENTS CONTRACT. QUANTITIES SHOWN ARE BASED ON THE PREVIOUS CONTRACT USAGE OR ESTIMATES. WHERE USAGE IS NOT AVAILABLE, A QUANTITY OF 1 INDICATES A LACK OF HISTORY ON THIS ITEM. THE SUCCESSFUL BIDDER MUST SUPPLY AT BID PRICES ACTUAL REQUIREMENTS AS ORDERED WHETHER THE TOTAL OF SUCH REQUIREMENTS ARE MORE OR LESS THAN THE QUANTITIES SHOWN.

12 CANCELLATION
 THE STATE OF LOUISIANA RESERVES THE RIGHT TO CANCEL THIS CONTRACT WITH THIRTY (30) DAYS WRITTEN NOTICE.

13 CERTIFICATION OF NO SUSPENSION OR DEBARMENT. BY SIGNING AND SUBMITTING ANY BID FOR \$100,000 OR MORE, THE BIDDER CERTIFIES THAT THEIR COMPANY, ANY SUBCONTRACTORS, OR PRINCIPALS ARE NOT SUSPENDED OR DEBARRED BY THE GENERAL SERVICES ADMINISTRATION (GSA) IN ACCORDANCE WITH THE REQUIREMENTS IN OMB CIRCULAR A-133.

A LIST OF PARTIES WHO HAVE BEEN SUSPENDED OR DEBARRED CAN BE VIEWED VIA THE INTERNET AT WWW.EPLS.GOV

14 CONTRACT PERFORMANCE EVALUATION
 IN AN EFFORT TO IMPROVE OUR CONTRACTS TO MEET THE NEEDS OF THE AGENCIES WE SERVE, THE CONTRACTOR'S PERFORMANCE WILL BE MONITORED. AGENCIES' FEEDBACK WILL BE REQUESTED REGARDING CUSTOMER SERVICE, DELIVERY, PRODUCT QUALITY, BILLING, OVERALL EFFECTIVENESS OF THE CONTRACT, AND ANY NEEDED CHANGES. THEIR RESPONSES WILL BE CONSIDERED IN DETERMINING OUR OPTIONS FOR RENEWALS OR REVISIONS AND REBIDDING. TO VIEW THE CONTENT OF THE CONTRACT PERFORMANCE EVALUATION FORM, GO TO WWW.STATE.LA.US/OSP/ONLINEFORMS/FORMLISTING.HTM OR CALL FOR A COPY.

AGENCY REPORTS OF DEFICIENT PERFORMANCE WILL BE APPROPRIATELY ADDRESSED DURING THE CONTRACT PERIOD.

15 NON-EXCLUSIVITY CLAUSE:
 THIS AGREEMENT IS NON-EXCLUSIVE AND SHALL NOT IN ANY WAY PRECLUDE STATE AGENCIES FROM ENTERING INTO SIMILAR AGREEMENTS AND/OR

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:	PAGE 7
<p>ARRANGEMENTS WITH OTHER VENDORS OR FROM ACQUIRING SIMILAR, EQUAL, OR LIKE GOODS AND/OR SERVICES FROM OTHER ENTITIES OR SOURCES.</p>			
<p>16 EVERY ITEM BID SHOULD HAVE SUFFICIENT INFORMATION ENCLOSED WITH THE BID, IN ORDER TO DETERMINE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS. THE ABOVE REQUIREMENTS INCLUDE ITEMS IN WHICH THE BIDDER STATES HE PROPOSES TO FURNISH EXACTLY WHAT IS CALLED FOR IN THE SPECIFICATIONS.</p> <p>FAILURE TO COMPLY WITH THIS REQUEST MAY ELIMINATE YOUR BID FROM CONSIDERATION.</p>			
<p>17 PRE-PRODUCTION SAMPLES</p> <p>PRE-PRODUCTION SAMPLES MADE TO THE EXACT SPECIFICATIONS WILL BE REQUIRED OF THE APPARENT SUCCESSFUL BIDDER. WHEN REQUESTED, THESE PRE-PRODUCTION SAMPLES MUST BE FURNISHED AT VENDOR'S EXPENSE AND RECEIVED AT THE OFFICE OF STATE PURCHASING WITHIN FOURTEEN (14) DAYS AFTER NOTIFICATION.</p> <p>PACKAGES SHOULD BE CLEARLY LABELED WITH THE FILE NUMBER AND BID OPENING DATE. EACH INDIVIDUAL SAMPLE WITHIN THE PACKAGE MUST BE CLEARLY LABELED WITH SENDER'S NAME, MANUFACTURER'S BRAND NAME AND MODEL NUMBER, FILE NUMBER AND ITEM NUMBER.</p> <p>SAMPLES OF THE SUCCESSFUL BIDDER WILL BE RETAINED AT AT THE CENTRAL PURCHASING OFFICE OR THE USING AGENCY FOR THE PURPOSE OF RECEIVING MERCHANDISE. ANY PART OF MERCHANDISE RECEIVED THAT DOES NOT MEET THE QUALITY STANDARDS AND CONSTRUCTION OF THE SAMPLE WILL BE REJECTED AND RETURNED AT VENDOR'S EXPENSE.</p> <p>RETURN OF SAMPLES</p> <p>ANY OTHER SAMPLES RECEIVED, IF NOT DESTROYED IN TESTING, MAY BE RETURNED AT THE BIDDER'S EXPENSE. REQUEST FOR RETURN, SHIPPING AUTHORIZATION, AND SUFFICIENT RETURN POSTAGE MUST BE RECEIVED NO LATER THAN TEN (10) DAYS AFTER BID OPENING, OR COMMODITIES SHALL BE DISPOSED OF BY THE STATE OF LOUISIANA.</p>			
<p>18 IN ACCORDANCE WITH RS 39:1655, FABRIC SPECIFICATION HAS BEEN APPROVED AS PROPRIETARY AND ONLY THE BRAND(S) NUMBER(S) SPECIFIED WILL BE CONSIDERED FOR AWARD.</p>			
<p>19 AWARD FORMULA: AWARD TO BE MADE TO THE OVERALL LOW BIDDER MEETING THE WRITTEN SPECIFICATIONS. THE STATE OF LOUISIANA RESERVES THE RIGHT TO DELETE LINE ITEM(S) FROM AWARD.</p>			
<p>20 THE PURCHASING AGENCY RESERVES THE RIGHT TO INSPECT AND TEST THE DELIVERED MERCHANDISE FOR COMPLIANCE WITH THE BID SPECIFICATIONS. IF MERCHANDISE FAILS TO MEET THE SPECIFICATIONS, THE COST OF TEST AND INSPECTION WILL BE PAID BY THE CONTRACTOR. IF THE MERCHANDISE IS IN COMPLIANCE, COST OF ALL TEST WILL BE PAID BY THE USING AGENCY.</p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:	PAGE 8
<p>21 <i>ONLY BRAND NAMES STATED IN THE AWARD ARE APPROVED FOR DELIVERY UNDER THIS CONTRACT AND ANY SUBSTITUTIONS MUST RECEIVE PRIOR WRITTEN APPROVAL OF THE CHIEF PROCUREMENT OFFICER.</i></p>			
<p>22 <i>INVENTORY</i></p> <p><i>THE VENDOR SHALL BE REQUIRED TO KEEP A 16-WEEK INVENTORY OF STANDARD SIZE ITEMS DURING THE TERM OF THE CONTRACT. THE INVENTORY WILL BE DETERMINED BY THE DEPARTMENT AND AWARDED VENDOR. THE QUANTITIES LISTED ARE ESTIMATED TO BE THE AMOUNT NEEDED. IN THE EVENT THAT A GREATER OR LESSER QUANTITY IS NEEDED, THE RIGHT IS RESERVED BY THE STATE OF LOUISIANA, DEPARTMENT OF PUBLIC SAFETY, PROCUREMENT AND WAREHOUSING OFFICER TO INCREASE OR DECREASE THE QUANTITIES LISTED AT THE SAME PRICES AND TERMS STATED HEREIN.</i></p> <p><i>QUANTITIES OF PURCHASES OF UNIFORM COMPOENETS PURCHASED FOR FISCAL YEAR 2001/2002 AND 2002/2003 BY SIZE AND BY AGENCY ARE AVAILABLE UPON REQUEST FROM KELLI SMITH, (225) 922-0640. THESE ARE PURCHASES FROM PREVIOUS CONTRACTS AND MAY BE USED TO ASSIST VENDOR IN DETERMINING THE REQUIRED INVENTORY AND PRICING. THESE QUANTITIES WILL BE USED AS THE STANDARD TO DETERMINE ANNUAL USAGE AND INVENTORY BUYBACK IN ACCORDANCE WITH THE FOLLOWING PARAGRAPH.</i></p> <p><i>DURING THE FINAL RENEWAL PHASE OF THIS CONTRACT, THE VENDOR SHALL NOT CUT MERCHANDISE OR ORDER ANY PIECE GOODS WITHOUT NOTIFYING THE PROCUREMENT AND CONTRACTUAL REVIEW DIVISION OF THE DEPARTMENT AND RECEIVING WRITTEN AUTHORIZATION TO DO SO. IF THE VENDOR HAS MET ALL THE ABOVE CRITERIA DURING THE CONTRACT PERIOD THE DEPARTMENT AGREES TO USE UP ANY REMAINING INVENTORY BEING HELD BY THE VENDOR (NOT TO EXCEED 10% OF THE INITIAL TERM OF THE CONTRACT) WITHIN 180 DAYS, PROVIDED FUNDING IS AVAILABLE.</i></p>			
<p>23 <i>ANY ORDERS RESULTING FROM THIS SOLICITATION WILL BE PAID WITH NEW FY FUNDS, IF APPROPRIATED BY THE LEGISLATURE. DELIVERY CANNOT BE MADE PRIOR TO JULY 1 AND YOUR BID PRICES MUST BE FIRM FOR ACCEPTANCE AND DELIVERY ACCORDINGLY.</i></p>			
<p>24 <i>DELIVERY</i></p> <p><i>INITIAL ORDER - VENDOR WILL BE REQUIRED TO DELIVER ALL CONTRACT ITEMS WITHIN NINETY (90) DAYS OF RECEIPT OF THE FABRIC. VENDOR MUST SUBMIT WRITTEN DOCUMENTATION INDICATING VENDOR'S ORDER DATE FROM RAEFORD. VENDOR MUST SUBMIT WRITTEN DOCUMENTATION FROM RAEFORD INDICATING SHIP DATE FROM RAEFORD TO VENDOR. VENDOR MUST SUBMIT DOCUMENTATION INDICATING RECEIPT DATE OF FABRIC FROM RAEFORD.</i></p> <p><i>SUBSEQUENT ORDERS - VENDOR SHALL BE REQUIRED TO DELIVER ALL CONTRACT ITEMS WITHIN 30 DAYS AFTER RECEIPT OF ORDER.</i></p> <p><i>SPECIAL ORDERS WILL BE THOSE ITEMS THAT FALL OUTSIDE OF THE SPECIFIED SIZES OR NEED SPECIAL ALTERATIONS TO MEET THE AGENCY'S NEEDS. ALL SPECIAL ORDERS ARE TO BE DELIVERED WITHIN NINETY (90) CALENDAR DAYS AFTER RECEIPT OF ORDER.</i></p> <p><i>VENDOR SHALL BE REQUIRED TO MEET THE DELIVERY REQUIREMENTS AS STATED</i></p>			

SPECIAL TERMS & CONDITIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:	PAGE 9
<p> ABOVE. FAILURE TO MEET THE SPECIFIED DELIVERIES SHALL RESULT IN PENALTIES BEING ASSESSED IN THE AMOUNT OF \$1.00 PER DAY PER ITEM PER PURCHASE ORDER. THESE PENALTIES ARE TO ENFORCE THE DEPARTMENT'S DELIVERY REQUIREMENTS. IMPLEMENTATION OF THE PENALTIES DOES NOT WAIVE THE DEPARTMENT'S ABILITY TO REPORT THE VENDOR NON-COMPLIANT. CONTINUED FAILURE TO MEET THE SPECIFIED DELIVERY REQUIREMENTS WILL RESULT IN THE VENDOR BEING FOUND NON-COMPLIANT RESULTING IN PENALTIES AS WELL AS CONTRACT TERMINATION. </p> <p>ALL ORDERS WILL BE FOB DESTINATION.</p> <p>25 ADDITONS/DELETIONS</p> <p>THE STATE OF LOUISIANA, DEPARTMENT OF PUBLIC SAFETY, OFFICE OF STATE POLICE RESERVE THE RIGHT TO ADD OR DELETE ITEMS RELATING TO THE SCOPE OF THIS CONTRACT AS NECESSARY UPON MUTUAL AGREEMENT OF BOTH PARTIES. FABRIC, MATERIAL, DESIGN AND/OR CONSTRUCTION CHANGES TO GARMENTS AND/OR RELATED ITMES MAY BE MADE BY MUTUAL CONSCENT, WITH SPECIFICATIONS AND PRICES AGREED UPON BY BOTH PARTIES.</p> <p>26 EMBLEMS</p> <p>ALL UNIFORM SHIRTS WILL INCLUDE A DEPARTMENT EMBLEM ON THE SLEEVE. EMBLEMS WILL BE FURNISHED BY THE OFFICE OF STATE POLICE TO THE SUCCESSFUL VENDOR. THE COST TO APPLY EMBLEMS TO SHIRTS IS BE INCLUDED IN THE BID PRICE OF EACH ITEM.</p> <p>27 QUALITY LEVEL</p> <p>ALL ITEMS SHALL BE NEW, UNUSED, AND A CURRENTLY STANDARD PRODUCT OF AN ESTABLISHED MANUFACTURER EXCEPT FOR SUCH DEVIATIONS AS MAY BE REQUIRED BY EACH ITEM SPECIFICATION. ITEMS SHALL HAVE A NEAT, WELL-FINISHED APPEARANCE AND SHALL BE FREE OF ALL IMPERFECTIONS AND/OR DEFECTS WHICH MIGHT AFFECT OVERALL APPEARANCE, NORMAL LIFE OR SERVICEABILITY. PRODUCTS FURNISHED SHALL BE "FIRST" COMMERCIAL GRADE, CLEAN AND FREE FROM TEARS OR HOLES. SECONDS, IRREGULARS, SHORTS OR RUN OF THE MILL ARE NOT ACCEPTABLE. THERE SHALL BE NO BROKEN OR LOOSE YARN, STITCHES OR SEAMS. THREADS SHALL BE TRIMMED; HEMS SHALL BE SMOOTH, STRAIGHT AND UNIFORM, WITH SUFFICIENT UNDER TURN AND STITCHING TO PREVENT EXPOSURE OF ENDS THROUGH NORMAL USE AND LAUNDERING.</p> <p>ALL ITEMS SHALL HAVE A LABEL SHOWING FABRIC CONTENT, CARE/LAUNDRY INSTRUCTIONS, SIZE, AND WHERE APPLICABLE: NOT FLAME RETARDENT.</p> <p>28 AT THE OPTION OF THE STATE OF LOUISIANA AND ACCEPTANCE BY THE CONTRACTOR, THIS CONTRACT MAY BE EXTENDED FOR TWO ADDITIONAL TWELVE (12) MONTH PERIODS AT THE SAME PRICE, TERMS AND CONDITIONS. TOTAL CONTRACT TIME MAY NOT EXCEED THIRTY-SIX (36) MONTHS.</p>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 10

29

SPECIFICATIONS FOR

LOUISIANA STATE POLICE

TROUSERS - CLASS A - MEN'S

STYLE: TAILORED TROUSER, EQUAL IN QUALITY, WORKMANSHIP AND STYLE NOW IN USE BY THE AGENCY.

*FABRIC: TROUSERS: RAEFORD - STYLE NO. 521-604
GABARDINE-55% DACRON-45% WORSTED WOOL-RESTORA & RAEPEL TREATED
WEIGHT: 11-1/2 - 12 OUNCE PER LINEAR YARD
CONSTRUCTION: FOUR (4) HARNESS TWO (2) UP, TWO (2) DOWN
FABRIC TO BE KAUMOGRAPHED
2 PLY WARP AND FILLING
TENSILE STRENGTH: THREAD NOT LESS THAN 150#
FILLING NOT LESS THAN 80%*

*POCKETING: 75% POLYESTER/25% COTTON BLEND
MINIMUM 2.70 WEIGHT WITH A 70 X 60 COUNT
COLOR: BLACK OR EQUIVALENT TO BLEND WITH TROUSER*

CROTCH AND RIGHT FLY LINING: SAME AS POCKETING LINING

COLOR: ROYAL BLUE - RAEFORD SHADE #604

DESIGN: STYLE: CONFORM TO MODERN UPDATED, CONTOUR CUT UNIFORM TROUSERS, PLAIN FRONT, TWO (2) FRONT, TWO (2) BACK POCKETS

*POCKET DESIGN: FRONT POCKET: QUARTER TOP STYLE SEWN INTO WAISTBAND
OPENINGS: MINIMUM OF 6-1/2" FROM TOP BARTACK TO
BOTTOM BARTACK STITCHED, TURNED AND BACK STITCHED
CONSTRUCTION.
FACING: SEPARATE INSIDE FACING TO GIVE A MINIMUM OF
FOUR (4) PLY STRENGTH AT ENTRY OF POCKET - DOUBLE
REINFORCED BOTTOMS OR A COATED POCKETING KNOWN AS
DURA RUFF
POCKET DEPTH: MINIMUM 6"*

*HIP POCKETS: REECE PIPED ENTRY
BAR-TACKED ON RIGHT AND LEFT SIDES FOR EXTRA STRENGTH
COVERED WITH AN ENVELOPE STYLE FLAP.
POCKET DEPTH: MINIMUM 6"
STITCHED, TURNED AND BACK STITCHED
LINING: SAME FABRIC AS POCKET LINING*

*FLAP CLOSURES - ENVELOPE STYLE
FASTENERS: BUTTON (BUTTONHOLE STITCHED IN FLAP)
FLAP SIZE: LENGTH - APPROXIMATELY 2-1/4" AT CENTER
APPROXIMATELY 1-1/2" AT SIDES
LINING: SAME FABRIC*

*BELT LOOPS: MINIMUM OF SEVEN (7) LOOPS, INCLUDING ONE (1) AT CENTER
BACK FOR OUTLET SEAM.
WIDTH: 5/8" MINIMUM LENGTH: 2" MINIMUM*

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05	BIDDER:	PAGE 11
	<p> DOUBLE THICKNESS AND INTERLINED WITH BUCKRAM STITCHED INTO WAISTBAND SEAM AT TOP AND BOTTOM DOUBLE STITCHED DOWN EACH SIDE WITH 1/4" SPACE IN CENTER </p> <p> BOTTOMS: UNFINISHED </p> <p> CREASES: LINTRACK PERMANENT CREASES ON BOTH FRONT AND REAR CREASE. LINTRACK MUST BE APPLIED IN ONE SINGLE LINE APPLICATION AND NOT MANUALLY, "PAINTED ON". </p> <p> WAISTBAND: "CLOSED METHOD" CONSTRUCTION MINIMUM 2" WIDE FINISHED (SELF FABRIC) CLOSURE: CRUSH PROOF HOOK AND EYE BARTACK BEHIND THE EYE OF THE HOOKING EYE. </p> <p> WAISTBAND MUST BE TOPSTITCHED 1/16" BELOW WAISTBAND SEAM. TOP PORTION OF INSIDE TO CONSIST OF SAME FABRIC AS POCKETING WITH MINIMUM 86 X 56 (+/-) 2 COUNT. WAISTBAND LINING MUST BE ZIGZAGGED STITCHED INSIDE MAXIMUM OF 1/4" FROM TOP. ALTERATION ALLOWANCE: 2" MINIMUM SNUGTEXT (3 STRAND) SEWN ON LINING INSIDE WAISTBAND OR COMFORT-IN-ACTION IV WAISTBAND UPPER WAISTBAND CURTAIN: INNER LINED WITH STRETCH BAN-ROL CANVAS CONSISTING OF A WARP OF 47 ENDS OF TEXTURIZED NYLON A FILL OF 34 ENDS OF 750 DENIER POLYESTER MONOFILAMENT. WOVEN FABRIC COATED WITH LATEX. FINISHED CANVAS FABRIC WEIGHT: 12.0 OZ/YD UPPER PORTION: 10% STRETCH. FIRM ENOUGH TO PREVENT WAISTBAND ROLLOVER. </p> <p> CROTCH LINING: FRONT AND BACK AREA LINED WITH FOLDED MATERIAL (SAME AS POCKETING). CONSTRUCTED WITH NO RAW OR PINKED EXPOSED EDGES. </p> <p> FLY: RIGHT FLY: LINING AND CROTCH PIECE EXTENSION (SAME AS POCKETING) TO BE ONE-PIECE, SEWN DOWN FLAT. A SEPARATE FRENCH FLY EXTENSION OF SELF MATERIAL SET INTO THE RIGHT FLY ANGLE. BUTTONHOLE AT END OF FRENCH FLY LINING. BUTTON LOCATED ON LEFT FLY CORRESPONDING WITH FRENCH FLY TAB. STRAIGHT BARTACK AT BOTTOM OF FLY STITCHED THROUGH ZIPPER TAPE. LEFT FLY: LINED AND CORDED. </p> <p> ZIPPER: TALON (GRIPPER-ZIPPER) #42 BRASS OR EQUIVALENT. METAL BOTTOM STOP, PERMAPRESS TREATED TAPE. </p> <p> THREAD: COLOR-FAST 100% DACRON POLYESTER TO MATCH FABRIC. </p> <p> STITCHING, PRESSING, FINISHING: CHAINSTITCH SEWN OUTSEAMS AND INSEAMS TO REDUCE SEAM POPPING. TWO (2) ROWS OF STITCHING ON ALL SEAMS WITH THE EXCEPTION OF SEAT. THREE (3) ROWS OF STITCHING ON ALL SEAT SEAMS. SEAT SEAMS STITCHED WITH A TANDEM NEEDLE SEAT SEAMING MACHINE. ALLOW AMPLE SEAMS FOR WAIST AND LENGTH ALTERATION. REINFORCE WITH BARTACKS ON ALL POINTS OF STRAIN. NEATELY PRESSED ON HOT-HEAD PRESSES AND PROPERLY SHAPED. </p>	

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 13
<p>COLOR: BLACK OR EQUIVALENT TO BLEND WITH TROUSER</p> <p>CROTCH AND RIGHT FLY LINING: SAME AS POCKETING LINING</p> <p>COLOR: ROYAL BLUE - RAEFORD SHADE #604</p> <p>DESIGN: STYLE: CONFORM TO MODERN UPDATED, CONTOUR CUT UNIFORM TROUSERS, PLAIN FRONT, TWO (2) FRONT, TWO (2) BACK POCKETS</p> <p>POCKET DESIGN: FRONT POCKET: QUARTER TOP STYLE SEWN INTO WAISTBAND OPENINGS: MINIMUM OF 6-1/2" FROM TOP BARTACK TO BOTTOM BARTACK STITCHED, TURNED AND BACK STITCHED CONSTRUCTION FACING: SEPARATE INSIDE FACING TO GIVE A MINIMUM OF FOUR (4) PLY STRENGTH AT ENTRY OF POCKET - DOUBLE REINFORCED BOTTOMS OR COATED POCKETING KNOWN AS DURA RUFF POCKET DEPTH: MINIMUM 6"</p> <p>HIP POCKETS: REECE PIPED ENTRY BAR-TACKED ON RIGHT AND LEFT SIDE FOR EXTRA STRENGTH COVERED WITH AN ENVELOPE STYLE FLAP POCKET DEPTH: MINIMUM 6" STITCHED, TURNED AND BACK STITCHED LINING: SAME FABRIC AS POCKET LINING</p> <p>FLAP CLOSURES: ENVELOPE STYLE FASTENERS: BUTTON AND BUTTONHOLES (BUTTONHOLES STITCHED IN FLAP SIZE: LENGTH - APPROXIMATELY 2-1/4" AT CENTER APPROXIMATELY 1-1/2" AT SIDES LINING: SAME FABRIC</p> <p>BELT LOOPS: MINIMUM OF SEVEN (7) LOOPS, INCLUDING ONE (1) AT CENTER BACK FOR OUTLET SEAM. WIDTH: 5/8" MINIMUM LENGTH: 2" MINIMUM DOUBLE STITCHED DOWN EACH SIDE WITH 1/4" SPACE IN CENTER STITCHED INTO WAISTBAND SEAM AT TOP AND BOTTOM</p> <p>BOTTOMS: UNFINISHED</p> <p>CREASES: LINTRACK PERMANENT CREASES ON BOTH FRONT AND REAR CREASE. LINTRACK MUST BE APPLIED IN ONE SINGLE LINE APPLICATION AND NOT MANUALLY, "PAINTED ON".</p> <p>WAISTBAND: "CLOSED METHOD" CONSTRUCTION MINIMUM 2" WIDE FINISHED (SELF FABRIC) CLOSURE: CRUSH PROOF HOOK AND EYE BARTACK BEHIND THE EYE OF THE HOOKING EYE. WAISTBAND MUST BE TOPSTITCHED 1/16" BELOW WAISTBAND SEAM. TOP PORTION OF INSIDE TO CONSIST OF SAME FABRIC AS POCKETING WITH MINIMUM 86 X 56 (+/-) 2 COUNT. WAISTBAND LINING MUST BE ZIGZAGED STITCHED INSIDE MAXIMUM OF 1/4" FROM TOP. ALTERATION ALLOWANCE: 2" MINIMUM SNUGTEXT (3 STRAND) SEWN ON LINING INSIDE WAISTBAND OR</p>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 14
<p>COMFORT-IN-ACTION IV WAISTBAND UPPER WAISTBAND CURTAIN: INNER LINED WITH STRETCH BAN-ROL CANVAS CONSISTING OF A WARP OF 47 ENDS OF TEXTURIZED NYLON A FILL OF 34 ENDS OF 750 DENIER POLYESTER MONOFILAMENT. WOVEN FABRIC COATED WITH LATEX. FINISHED CANVAS FABRIC WEIGHT: 12.0 OZ/YD UPPER PORTION: 10% STRETCH. FIRM ENOUGH TO PREVENT WAISTBAND ROLLOVER.</p> <p>CROTCH LINING: FRONT AND BACK AREA LINED WITH FOLDED MATERIAL (SAME AS POCKETING). CONSTRUCTED WITH NO RAW OR PINKED EXPOSED EDGES.</p> <p>FLY: RIGHT FLY: LINING AND CROTCH PIECE EXTENSION (SAME AS POCKETING) TO BE ONE-PIECE, SEWN DOWN FLAT. A SEPARATE FRENCH FLY EXTENSION OF SELF MATERIAL SET INTO THE RIGHT FLY ANGLE. BUTTONHOLE AT THE END OF FRENCH FLY LINING. BUTTON LOCATED ON LEFT FLY CORRESPONDING WITH FRENCH FLY TAB STRAIGHT BARTACK AT BOTTOM OF FLY STITCHED THROUGH ZIPPER TAPE. LEFT FLY: LINED AND CORDED.</p> <p>ZIPPER: TALON (GRIPPER-ZIPPER) #42 BRASS OR EQUIVALENT. METAL BOTTOM STOP, PERMAPRESS TREATED TAPE.</p> <p>THREAD: COLOR-FAST 100% DACRON POLYESTER TO MATCH FABRIC.</p> <p>STITCHING, PRESSING, FINISHING: CHAINSTITCH SEWN OUTSEAMS AND INSEAMS TO REDUCE SEAM POPPING. TWO (2) ROWS OF STITCHING ON ALL SEAMS WITH THE EXCEPTIONS OF SEAT THREE (3) ROWS OF STITCHING ON ALL SEAT SEAMS. SEAT SEAMS STITCHED WITH A TANDEM NEEDLE SEAT SEAMING MACHINE. TOPSTITCHING/STITCHING WHICH SHOWS: 10-11 STITCHES PER INCH ALLOW AMPLE SEAMS FOR WAIST AND LENGTH ALTERATION. REINFORCE WITH BARTACKS ON ALL POINTS OF STRAIN. NEATLY PRESSED ON HOT-HEAD PRESSES AND PROPERLY SHAPED. OUTSEAMS AND INSEAMS PRESSED OPEN. CLEANED AND FINISHED; LOOSE THREADS REMOVED.</p> <p>LABELING: FABRIC LABELS PERMANENTLY AFFIXED TO TROUSER LABELS TO BE WOVEN (NOT PRINTED), STATING THE FABRIC'S FIBER CONTENT, BRAND IDENTIFICATION AND GARMENT CARE INSTRUCTIONS. PERMANENT LABEL INDICATING SIZE SHALL BE SEWN INSIDE ON THE WAISTBAND (I.E., "S" FOR SHORT, "R" FOR REGULAR, "L" FOR LONG, SIZE 12)</p> <p>WARRANTY: ONE YEAR AGAINST WORKMANSHIP AND FABRIC DEFECTS.</p> <p>SIZING: SUCCESSFUL VENDOR SHALL MAKE FULL-CUT PATTERNS TO THE EXACT SIZE MEASUREMENTS OF THE TROUSER NOW IN USE. FAILURE TO PROPERLY DUPLICATE EXISTING DESIGN WILL BE CAUSE FOR REJECTION.</p> <p>SIZES MUST BE AVAILABLE AS FOLLOWS: WAIST: 6, 8, 10, 12, 14, 16, 18, 20, 22 AND 24</p>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:	PAGE 15
<div> <div> <div></div> <div></div> </div> <div> LENGTH: (UNFINISHED) - SHORT - 35" REGULAR - 37" LONGS - 39" X-LONG - 41" </div> </div> <div> 31 <div> SPECIFICATIONS FOR LOUISIANA STATE POLICE LONG SLEEVE SHIRTS - CLASS "A" - MEN'S STYLE: IT IS THE INTENTION OF THIS DEPARTMENT TO SECURE A TAILORED SHIRT EQUAL IN QUALITY OF WORKMANSHIP AND STYLE TO THE SHIRT NOW ON DISPLAY AS A SAMPLE. TAILORING: IT IS ALSO IMPERATIVE THAT THIS GARMENT BE CONSTRUCTED ACCORDING TO THE PRINCIPLES SET FORTH IN THE SPECIFICATIONS. ALL STITCHES MUST BE OF THE PROPER SIZE AND TENSION SO AS TO AVOID PUCKERING. LONG SLEEVE SHIRTS TO HAVE FULL BANDED COLLAR. ALL SEWING SHALL BE WITH THE FINEST VAT DYED THREAD, COLOR TO MATCH THE FABRIC. THE COLLAR AND CUFFS WILL BE SINGLE STITCHED 1/4" FROM EDGE. THE POCKETS, FLAPS, SHOULDER STRAPS, AND YOKE ARE TO BE STITCHED ON THE EDGE. SHIRT MATERIAL: BASIC FABRIC TO BE RAEFORD WORSTED COMPANY STYLE 571-604, 55% DACRON POLYESTER, 45% WORSTED WOOL WITH RESTORA FINISH, TROPICAL WEAVE, 8-8 1/2 OUNCE PER LINEAR YARD, 2 PLY WARP AND FILLING, 100 POUNDS IN THE WARP AND 80 POUNDS IN THE FILLING, 60 ENDS PER INCH AND 50 PICKS PER INCH, BACK-FACE OF FABRIC MUST BE STAMPED WITH MILL TRADEMARK AND COLOR TO MATCH RAEFORD SHADE #604 (ROYAL BLUE). CREASING: POCKETS AND POCKET FLAPS TO BE DIE CUT AND CREASED TO GIVE UNIFORM SHAPE AND SIZE. MILITARY PRESS: SHIRT TO HAVE STITCHED-IN PLEATS IN FRONT, BACK, SLEEVES, FLAPS AND POCKETS TO GIVE APPEARANCE OF PERMANENT MILITARY PRESS. ALL STITCHED PLEATS ARE TO BE 1/16". THERE SHALL BE THREE STITCHED PLEATS ON THE BACK: ONE ON EACH FRONT TO BE CENTERED WITH THE CENTER OF EACH FLAP AND POCKET PLEAT. EACH POCKET AND FLAP SHALL HAVE A STITCHED PLEAT CENTERED AS A CONTINUATION OF FRONT PLEAT. EACH SLEEVE SHALL HAVE A STITCHED CREASE FROM CENTER OF SHOULDER STRAP TO END OF SLEEVE. COLLAR: THE POINTS ARE TO BE 3" IN LENGTH. THE BACK OF THE STAND IS TO MEASURE 1 3/8". PERMANENT COLLAR STAYS OF PROPER LENGTH ARE TO BE SEWN INSIDE COLLAR SO THAT NO STITCHES ARE MADE THROUGH BOTTOM LEAF. SATIN LINING: BACK INNER STAND OF COLLAR AND INNER YOKE TO BE MADE </div> </div>			

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05	BIDDER:	PAGE 16
<p>OF LIEBERMAN AND HERCULES SATIN, COLOR TO MATCH.</p> <p>SLEEVES: LONG SLEEVES - TO BE TAPERED. THE CUFFS ARE TO BE 2-5/8" IN WIDTH, WITH ROUND CORNERS, AND ARE TO FASTEN WITH TWO BUTTONS. THERE IS TO BE A SINGLE STITCH 7/16" FROM TOP OF CUFF.</p> <p>ZIPPER: THE FRONT CLOSURE SHALL BE ACCOMPLISHED BY A CONCEALED ZIPPER ATTACHED TO THE CENTER FRONT AND THE BUTTON STAND BETWEEN THE FIRST AND SIXTH BUTTONS. THE ZIPPER SHALL HAVE A METAL ENCLOSURE AT THE BOTTOM (USE YKK, STYLE CFO 456 OR EQUIVALENT).</p> <p>FRONT: THE FRONT SHALL HAVE A CENTER FACING 1 1/2" WIDE EXTENDING FROM THE COLLAR STAND TO THE BOTTOM OF THE SHIRT. THIS FACING IS TO BE MADE OF THE SAME MATERIALS AS THE SHIRT FABRIC AND IS TO HAVE TWO ROWS OF STITCHING.</p> <p>THE CENTER FRONT SHALL CONTAIN SIX (6) VERTICAL BUTTONHOLES PLACED 3/4" FROM EDGE AND 3 1/2" APART.</p> <p>THE BUTTON STAND, 7/8" WIDE, SHALL BE SELF LINED AND PLACED ON THE RIGHT SIDE EXTENDING FORM THE COLLAR STAND TO THE BOTTOM OF THE SHIRT. TWO BUTTONS SHALL BE SECURELY ATTACHED TO THE BUTTON STAND AND SHALL CORRESPOND TO THE BUTTONHOLES ON THE CENTER FACING. THE BALANCE OF THE FRONT BUTTONS FOUR (4) SHALL BE SEWN OVER THE CORRESPONDING FRONT BUTTONHOLES, POSITIONS 2, 3, 4 AND 5.</p> <p>POCKETS: TWO POCKETS WITH 1 1/2 BOX PLEATS STITCHED TO PREVENT SPREADING 4-7/8" WIDE BY 5-1/4" DEEP WITH MITRED CORNERS. POCKETS TO BE DIE CUT AND DIE CREASED TO INSURE UNIFORMITY OF SHAPE AND SIZE. LEFT POCKET TO HAVE A PENCIL, DIVISION. VELCRO ON BOTH POCKETS TO MATCH VELCRO ON FLAPS. SMALL BUTTONHOLE IN POCKET TO ACCOMODATE REMOVABLE BUTTON.</p> <p>FLAPS: TO BE EDGED ON SIDES AND BOTTOM WITH 1/8" GOLD BRAID. TO HAVE TWO SCALLOPED FLAPS LINED, TO FINISHED 6" WIDE CENTER POINTS OF 2 3/4" AND SIDE POINTS OF 2 5/8". THE FLAPS ARE TO BE SECURED TO THE FRONT OF THE SHIRT WITH TWO ROWS OF STITCHING AND ARE TO BE POSITIONED APPROXIMATELY 1/4" ABOVE THE TOP OF THE POCKETS. THE LEFT FLAP IS TO HAVE A PENCIL OPENING OF APPROXIMATELY 1 1/2". THE SIDE POINTS OF THE FLAPS ARE TO BE SECURED TO THE POCKETS BY MEANS OF VELCRO SECURED ONTO THE FLAPS AND POCKETS.</p> <p>BADGE HOLDER: THERE SHALL BE AN INSIDE SLING TYPE BADGE HOLDER OF SELF GOODS APPROXIMATELY 1 1/2" WIDE TO EXTEND FROM SHOULDER SEAM TO THE MIDDLE OF POCKET OF LEFT FRONT. THERE SHALL BE TWO THREAD EYELETS 1 1/4" APART WITH THE LOWER EYELET APPROXIMATELY 3/4" ABOVE THE FLAP, TO BE ON A VERTICAL LINE WITH POCKET PLEAT.</p> <p>BACK: THE BACK IS TO HAVE A DOUBLE PLY YOKE. ONE YOKE IS TO BE OF THE BASIC MATERIAL AND THE INSIDE YOKE IS TO BE OF MATCHING SATIN AS USED IN THE COLLAR STAND. THE YOKES ARE TO BE FINISHED 3 1/2" AT THE CENTER.</p> <p>THE FRONTS AND BACK ARE TO BE HEMMED SEPARATELY AND ARE TO BE JOINED TOGETHER WITH A TRIANGULAR PIECE OF MATERIAL AT THE BOTTOM OF EACH SIDE SEAM.</p>		

SPECIFICATIONS		INVITATION TO BID																										
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:	PAGE 18																									
<div> <div>36-37 36-37 36-37 36-37 36-37</div> <table> <tr> <td>SIZES:</td> <td>18-1/2</td> <td>19-1.2</td> <td>20-1/2</td> <td>21-1/2</td> </tr> <tr> <td>SLEEVE</td> <td>32-33</td> <td>32-33</td> <td>34-35</td> <td>34-35</td> </tr> <tr> <td>LENGTHS:</td> <td>34-35</td> <td>34-35</td> <td>36-37</td> <td>36-37</td> </tr> <tr> <td></td> <td>36-37</td> <td>36-37</td> <td>38-39</td> <td>38-39</td> </tr> <tr> <td></td> <td>38-39</td> <td>38-49</td> <td></td> <td>40-41</td> </tr> </table> </div>				SIZES:	18-1/2	19-1.2	20-1/2	21-1/2	SLEEVE	32-33	32-33	34-35	34-35	LENGTHS:	34-35	34-35	36-37	36-37		36-37	36-37	38-39	38-39		38-39	38-49		40-41
SIZES:	18-1/2	19-1.2	20-1/2	21-1/2																								
SLEEVE	32-33	32-33	34-35	34-35																								
LENGTHS:	34-35	34-35	36-37	36-37																								
	36-37	36-37	38-39	38-39																								
	38-39	38-49		40-41																								
32	SPECIFICATIONS FOR LOUISIANA STATE POLICE SHORT SLEEVE SHIRTS - CLASS "A" - MEN STYLE: IT IS THE INTENTION OF THIS DEPARTMENT TO SECURE A TAILORED SHIRT EQUAL IN QUALITY OF WORKMANSHIP AND STYLE TO THE SHIRT NOW ON DISPLAY AS A SAMPLE. TAILORING: IT IS ALSO IMPERATIVE THAT THIS GARMENT BE CONSTRUCTED ACCORDING TO THE PRINCIPLES SET FORTH IN THE SPECIFICATIONS. ALL STITCHES MUST BE OF THE PROPER SIZE AND TENSION SO AS TO AVOID PUCKERING. SHORT SLEEVE SHIRTS TO HAVE CONVERTIBLE COLLAR. ALL SEWING SHALL BE WITH THE FINEST VAT DYED THREAD, COLOR TO MATCH THE FABRIC. THE COLLAR AND CUFFS WILL BE SINGLE STITCHED 1/4" FROM EDGE. THE POCKETS, FLAPS, SHOULDER STRAPS, YOKE ARE TO BE STITCHED ON THE EDGE. SHIRT MATERIAL: BASIC FABRIC TO BE RAEFORD WORSTED COMPANY STYLE 571-604, 55% DACRON POLYESTER, 45% WORSTED WOOL WITH RESTORA FINISH, TROPICAL WEAVE, 8-8 1/2 OUNCE PER LINEAR YARD, 2 PLY WARP AND FILLING, 100 POUNDS IN THE WARP AND 80 POUNDS IN THE FILLING, 60 ENDS PER INCH AND 50 PICKS PER INCH, BACK-FACE OF FABRIC MUST BE STAMPED WITH MILL TRADEMARK AND COLOR TO MATCH RAEFORD SHADE #604 (ROYAL BLUE). CREASING: POCKETS AND POCKET FLAPS TO BE DIE CUT AND CREASED TO GIVE UNIFORM SHAPE AND SIZE. MILITARY PRESS: SHIRT TO HAVE STITCHED-IN PLEATS IN FRONT, BACK, SLEEVES, FLAPS AND POCKETS TO GIVE APPEARANCE OF PERMANENT MILITARY PRESS. ALL STITCHED PLEATS ARE TO BE 1/16". THERE SHALL BE THREE STITCHED PLEATS ON THE BACK: ONE ON EACH FRONT TO BE CENTERED WITH THE CENTER OF EACH FLAP AND POCKET PLEAT. EACH POCKET AND FLAP SHALL HAVE A STITCHED PLEAT CENTERED AS A CONTINUATION OF FRONT PLEAT. EACH SLEEVE SHALL HAVE A STITCHED CREASE FROM CENTER OF SHOULDER STRAP TO END OF SLEEVE. COLLAR: THE POINTS ARE TO BE 3" IN LENGTH. THE BACK OF THE STAND IS TO MEASURE 1 3/8". PERMANENT COLLAR STAYS OF PROPER LENGTH ARE TO BE SEWN INSIDE COLLAR SO THAT NO STITCHES ARE MADE THROUGH BOTTON LEAF.																											

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05	BIDDER:	PAGE 19
	<p>SATIN LINING: BACK INNER STAND OF COLLAR AND INNER YOKE TO BE MADE OF LIEBERMAN AND HERCULES SATIN, COLOR TO MATCH.</p> <p>SLEEVES: ONE (1) PIECE LENGTH: 10" TO 11-1/8" HEM: 3/4"</p> <p>ZIPPER: THE FRONT CLOSURE SHALL BE ACCOMPLISHED BY A CONCEALED ZIPPER ATTACHED TO THE CENTER FRONT AND THE BUTTON STAND BETWEEN THE FIRST AND SIXTH BUTTONS. THE ZIPPER SHALL HAVE A METAL ENCLOSURE AT THE BOTTOM (USE YKK, STYLE CFO 456 OR EQUIVALENT).</p> <p>FRONT: THE FRONT SHALL HAVE A CENTER FACING 1 1/2" WIDE EXTENDING FROM THE COLLAR STAND TO THE BOTTOM OF THE SHIRT. THIS FACING IS TO BE MADE OF THE SAME MATERIAL AS THE SHIRT FABRIC AND IS TO HAVE TWO ROWS OF STITCHING.</p> <p>THE CENTER FRONT SHALL CONTAIN SIX (6) VERTICAL BUTTONHOLES PLACED 3/4" FROM EDGE AND 3 1/2" APART.</p> <p>THE BUTTON STAND, 7/8" WIDE, SHALL BE SELF LINED AND PLACED ON THE RIGHT SIDE EXTENDING FROM THE COLLAR STAND TO THE BOTTOM OF THE SHIRT. TWO BUTTONS SHALL BE SECURELY ATTACHED TO THE BUTTON STAND AND SHALL CORRESPOND TO THE BUTTONHOLES ON THE CENTER FACING. THE BALANCE OF THE BUTTONHOLES, POSITIONS 2, 3, 4 AND 5.</p> <p>POCKETS: TWO POCKETS WITH 1 1/2 BOX PLEATS STITCHED TO PREVENT SPREADING 6" BY 5 5/8" WIDE WITH MITRED CORNERS. POCKETS TO BE DIE CUT AND DIE CREASED TO INSURE UNIFORMITY OF SHAPE AND SIZE. THE LEFT POCKET TO HAVE A PENCIL DIVISION. VELCRO ON BOTH POCKETS TO MATCH VELCRO ON FLAPS. SMALL BUTTONHOLE IN POCKET TO ACCOMODATE REMOVABLE BUTTON.</p> <p>FLAPS: TO BE EDGED ON SIDES AND BOTTOM WITH 1/8" GOLD BRAID. TO HAVE TWO SCALLOPED FLAPS LINED, TO FINISHED 6" WIDE CENTER POINTS OF 2 3/4" AND SIDE POINTS OF 2 5/8". THE FLAPS ARE TO BE SECURED TO THE FRONT OF THE SHIRT WITH TWO ROWS OF STITCHING AND ARE TO BE POSITIONED APPROXIMATELY 1/4" ABOVE THE TOP OF THE POCKETS. THE LEFT FLAP IS TO HAVE A PENCIL OPENING OF APPROXIMATELY 1 1/2". THE SIDE POINTS OF THE FLAPS ARE TO BE SECURED TO THE POCKETS BY MEANS OF VELCRO SECURED ONTO THE FLAPS AND POCKETS.</p> <p>BADGE HOLDER: THERE SHALL BE AN INSIDE SLING TYPE BADGE HOLDER OF SELF GOODS APPROXIMATELY 1 1/2" WIDE TO EXTEND FROM SHOULDER SEAM TO MIDDLE OF POCKET OF LEFT FRONT. THERE SHALL BE TWO THREAD EYELETS 1 1/4" APART WITH THE LOWER EYELET APPROXIMATELY 3/4" ABOVE THE FLAP, TO BE ON A VERTICAL LINE WITH POCKET PLEAT.</p> <p>BACK: THE BACK IS TO HAVE A DOUBLE PLY YOKE. ONE YOKE IS TO BE OF THE BASIC MATERIAL AND THE INSIDE YOKE IS TO BE OF MATCHING SATIN AS USED IN THE COLLAR STAND. THE YOKES ARE TO BE FINISHED 3 1/2" AT THE CENTER.</p> <p>THE FRONTS AND BACKS ARE TO BE HEMMED SEPARATELY AND ARE TO BE JOINED TOGETHER WITH A TRIANGULAR PIECE OF MATERIAL AT THE BOTTOM OF EACH SIDE SEAM.</p>	

SPECIFICATIONS		INVITATION TO BID																																																					
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05		BIDDER:	PAGE 20																																																				
<p>BOTTON HEM: THE FRONTS AND BACKS ARE TO BE HEMMED SEPARATELY AND ARE TO BE JOINED TOGETHER WITH A TRIANGULAR PIECE OF MATERIAL AT THE BOTTOM OF EACH SIDE SEAM.</p> <p>SHIRT TAILS: THE SHIRTS WILL HAVE FINISHED TAIL LENGTH OF 33 1/2" FOR SIZES 14 THROUGH 17 AND 35 1/2" FOR SIZES 17 1/2" AND LARGER.</p> <p>SHOULDER STRAPS: THE SHOULDER STRAPS SHALL BE POINTED AT THE END TOWARD THE NECK OF THE SHIRT. THE OTHER END SHALL BE SEWN INTO THE SLEEVE HEAD SEAM. THE SHOULDER STRAP SHALL MEASURE 2" AT THE SLEEVE AND TAPER TO 1 3/8". STRAPS TO BE SET ABOUT 1/2" FROM COLLAR. SHOULDER STRAPS SHALL BE CROSS STITCHED TO SHOULDER 2" FROM SLEEVE HEAD SEAM, AND DIAGONALLY ACROSS FROM EACH END OF SEAM. SHOULDER STRAPS TO BE EDGE EACH SIDE ON TOP WITH 1/8" GOLD BRAID. BRAID PREVENT PULLING OR RAVELING. BRAID WILL PROTRUDE AT LEAST 1/4" INSIDE SEAM IN ORDER TO PREVENT PULLING OUT.</p> <p>SHOULDER STRAPS SHALL BE ON TOP OF SHOULDER AND WILL BE 1/2" AWAY FROM COLLAR WHEN BUTTONED. THERE SHALL BE A SMALL BUTTONHOLE IN THE YOKE TO ACCOMMODATE A METAL BUTTON WHICH SECURES THE POINTED END OF THE STRAP TO THE SHOULDER. A SEPARATE PIECE OF MATERIAL, SEWN ON THREE SIDES, IS POSITIONED BENEATH THE YOKE TO PROTECT THE WEARER FROM THE TOGGLE.</p> <p>INTERLINING: ALL INTERLINING TO BE WITH GOOD QUALITY SANFORIZED SHEETING, PRESHRUNK. THE COLLAR LEAF TO HAVE 2.85 WEIGHT, AND THE CENTER FACING AND FLAPS TO HAVE 5.50 WEIGHT.</p> <p>FINISHED DIMENSIONS:</p> <table><tr><td>SIZE:</td><td>14 1/2</td><td>15</td><td>15 1/2</td><td>16</td><td>16 1/2</td><td>17</td><td>17 1/2</td><td>18</td></tr><tr><td>CHEST:</td><td>42</td><td>44</td><td>46</td><td>48</td><td>50</td><td>52</td><td>54</td><td>56</td></tr><tr><td>WAIST:</td><td>37</td><td>39</td><td>41</td><td>43</td><td>45</td><td>48</td><td>50</td><td>53</td></tr><tr><td>SLEEVE LENGTH:</td><td>10</td><td>10</td><td>10</td><td>10 1/2</td><td>10 1/2</td><td>11</td><td>11</td><td>11</td></tr></table> <table><tr><td>SIZE:</td><td>18 1/2</td><td>19</td><td>19 1/2</td></tr><tr><td></td><td>58</td><td>60</td><td>62</td></tr><tr><td></td><td>56</td><td>58</td><td>60</td></tr><tr><td></td><td>11</td><td>11 1/8</td><td>11 1/8</td></tr></table> <p>SIZE MARKING: SIZE SHALL BE SHOWN ON A WOVEN LABEL IN THE NECK OF THE SHIRT AND SHALL BE MARKED WITH INDELIBLE INK ON THE OUTSIDE OF THE LEFT FRONT TAIL.</p> <p>NAME LABEL: A NAME LABEL SHALL BE SEWN TO THE LEFT FRONT AT THE BOTTOM.</p> <p>BUTTONS: FRONT BUTTONS SHALL BE MADE FROM 22 LIGNE MELAMINE MATERIAL AND MUST MATCH THE FABRIC.</p> <p>PRESSING AND PACKING: SHIRTS TO BE PRESSED BY HAND IN FIRST CLASS MANNER IN INDUSTRY STANDARD SEMI STANDUP FORM. SHIRTS TO BE PACKED IN PLASTIC BAG, TWO (2) PER BOX. BOX SIZE TO BE 13 1/2" X 9" X 3 1/2" WITH SHIRT SIZES MARKED ON THE OUTSIDE OF THE BOX AT ONE END. SHIRTS TO BE SHIPPED IN STRONG BOXES SO AS NOT TO BE DAMAGED IN SHIPMENT.</p>				SIZE:	14 1/2	15	15 1/2	16	16 1/2	17	17 1/2	18	CHEST:	42	44	46	48	50	52	54	56	WAIST:	37	39	41	43	45	48	50	53	SLEEVE LENGTH:	10	10	10	10 1/2	10 1/2	11	11	11	SIZE:	18 1/2	19	19 1/2		58	60	62		56	58	60		11	11 1/8	11 1/8
SIZE:	14 1/2	15	15 1/2	16	16 1/2	17	17 1/2	18																																															
CHEST:	42	44	46	48	50	52	54	56																																															
WAIST:	37	39	41	43	45	48	50	53																																															
SLEEVE LENGTH:	10	10	10	10 1/2	10 1/2	11	11	11																																															
SIZE:	18 1/2	19	19 1/2																																																				
	58	60	62																																																				
	56	58	60																																																				
	11	11 1/8	11 1/8																																																				

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 21

CONDITIONS: SECONDS, IRREGULARS, OR SHORTS NOT ACCEPTABLE.

EMBLEMS: LOUISIANA STATE POLICE EMBLEMS SHALL BE SEWN ON EACH SLEEVE 1/2" FROM SHOULDER SEAM AND WILL BE FURNISHED BY AGENCY TO SUCCESSFUL VENDOR.

33

SPECIFICATIONS FOR

LOUISIANA STATE POLICE

LONG SLEEVE SHIRTS - CLASS "A" - LADIES

STYLE: IT IS THE INTENTION OF THIS DEPARTMENT TO SECURE A TAILORED SHIRT EQUAL IN QUALITY OF WORKMANSHIP AND STYLE TO THE SHIRT NOW ON DISPLAY AS A SAMPLE.

TAILORING: IT IS ALSO IMPERATIVE THAT THIS GARMENT BE CONSTRUCTED ACCORDING TO THE PRINCIPLES SET FORTH IN THE SPECIFICATIONS. ALL STITCHES MUST BE OF THE PROPER SIZE AND TENSION SO AS TO AVOID PUCKERING.

LONG SLEEVE SHIRTS TO HAVE FULL BANDED COLLAR. LADIES SHIRTS WILL CONFORM TO MODERN LADIES' PATTERNS.

ALL SEWING SHALL BE WITH THE FINEST VAT DYED THREAD, COLOR TO MATCH THE FABRIC. THE COLLAR AND CUFFS WILL BE SINGLE STITCHED 1/4" FROM EDGE. THE POCKETS, FLAPS, SHOULDER STRAPS, AND YOKE ARE TO BE STITCHED ON THE EDGE.

SHIRT MATERIAL: BASIC FABRIC TO BE RAEFORD WORSTED COMPANY STYLE 571-604, 55% DACRON POLYESTER/45% WORSTED WOOL WITH RESTORA FINISH, TROPICAL WEAVE, 8-8 1/2 OUNCE PER LINEAR YARD, 2 PLY WARP AND FILLING, 100 POUNDS IN THE WARP AND 80 POUNDS IN THE FILLING, 60 ENDS PER INCH AND 50 PICKS PER INCH, BACK-FACE OF FABRIC MUST BE STAMPED WITH MILL TRADEMARK AND COLOR TO MATCH RAEFORD SHADE #604 (ROYAL BLUE).

CREASING: POCKETS AND POCKET FLAPS TO BE DIE CUT AND CREASED TO GIVE UNIFORM SHAPE AND SIZE.

MILITARY PRESS: SHIRT TO HAVE STITCHED-IN PLEATS IN FRONT, BACK, SLEEVES, FLAPS AND POCKETS TO GIVE APPEARANCE OF PERMANENT MILITARY PRESS. ALL STITCHED PLEATS ARE TO BE 1/16". THERE SHALL BE THREE STITCHED PLEATS ON THE BACK: ONE ON EACH FRONT TO BE CENTERED WITH THE CENTER OF EACH FLAP AND POCKET PLEAT. EACH POCKET AND FLAP SHALL HAVE A STITCHED PLEAT CENTERED AS A CONTINUATION OF FRONT PLEAT. EACH SLEEVE SHALL HAVE A STITCHED CREASE FROM CENTER OF SHOULDER STRAP TO END OF SLEEVE.

COLLAR: THE POINTS ARE TO BE 3" IN LENGTH. THE BACK OF THE STAND IS TO MEASURE 1 3/8".

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05		TIME: 10:00 AM BIDDER:	PAGE 22
<p>PERMANENT COLLAR STAYS OF PROPER LENGTH ARE TO BE SEWN INSIDE COLLAR SO THAT NO STITCHES ARE MADE THROUGH BOTTOM LEAF.</p> <p>SATIN LINING: BACK INNER STAND OF COLLAR AND INNER YOKE TO BE MADE OF LIEBERMAN AND HERCULES SATIN, COLOR TO MATCH.</p> <p>SLEEVES: LONG SLEEVES - TO BE TAPERED. THE CUFFS ARE TO BE 2-5/8" IN WIDTH, WITH ROUND CORNERS, AND ARE TO FASTEN WITH TWO BUTTONS. THERE IS TO BE A SINGLE STITCH 7/16" FROM TOP OF CUFF.</p> <p>ZIPPER: THE FRONT CLOSURE SHALL BE ACCOMPLISHED BY A CONCEALED ZIPPER ATTACHED TO THE CENTER FRONT AND THE BUTTON STAND BETWEEN THE FIRST AND SIXTH BUTTONS. THE ZIPPER SHALL HAVE A METAL ENCLOSURE AT THE BOTTOM (USE YKK, STYLE CFO 456 OR EQUIVALENT).</p> <p>FRONT: THE FRONT SHALL HAVE A CENTER FACING 1 1/2" WIDE EXTENDING FROM THE COLLAR STAND TO THE BOTTOM OF THE SHIRT. THIS FACING IS TO BE MADE OF THE SAME MATERIALS AS THE SHIRT FABRIC AND IS TO HAVE TWO ROWS OF STITCHING.</p> <p>THE CENTER FRONT SHALL CONTAIN SIX (6) VERTICAL BUTTONHOLES PLACED 3/4" FROM EDGE AND 3 1/2" APART.</p> <p>THE BUTTON STAND, 7/8" WIDE, SHALL BE SELF LINED AND PLACED ON THE RIGHT SIDE EXTENDING FROM THE COLLAR STAND TO THE BOTTOM OF THE SHIRT. TWO BUTTONS SHALL BE SECURELY ATTACHED TO THE BUTTON STAND AND SHALL CORRESPOND TO THE BUTTONHOLES ON THE CENTER FACING. THE BALANCE OF THE FRONT BUTTONS FOUR (4) SHALL BE SEWN OVER THE CORRESPONDING FRONT BUTTONHOLES, POSITIONS 2, 3, 4 AND 5.</p> <p>POCKETS: TWO POCKETS WITH 1 1/2 BOX PLEATS STITCHED TO PREVENT SPREADING 4-7/8" WIDE BY 5-1/4" DEEP WITH MITRED CORNERS. POCKETS TO BE DIE CUT AND DIE CREASED TO INSURE UNIFORMITY OF SHAPE AND SIZE. LEFT POCKET TO HAVE A PENCIL, DIVISION. VELCRO ON BOTH POCKETS TO MATCH VELCRO ON FLAPS. SMALL BUTTONHOLE IN POCKET TO ACCOMODATE REMOVABLE BUTTON.</p> <p>FLAPS: TO BE EDGED ON SIDES AND BOTTOM WITH 1/8" GOLD BRAID. TO HAVE TWO SCALLOPED FLAPS LINED, TO FINISHED 6" WIDE CENTER POINTS OF 2 3/4" AND SIDE POINTS OF 2 5/8". THE FLAPS ARE TO BE SECURED TO THE FRONT OF THE SHIRT WITH TWO ROWS OF STITCHING AND ARE TO BE POSITIONED APPROXIMATELY 1/4" ABOVE THE TOP OF THE POCKETS. THE LEFT FLAP IS TO HAVE A PENCIL OPENING OF APPROXIMATELY 1 1/2". THE SIDE POINTS OF THE FLAPS ARE TO BE SECURED TO THE POCKETS BY MEANS OF VELCRO SECURED ONTO THE FLAPS AND POCKETS.</p> <p>BADGE HOLDER: THERE SHALL BE AN INSIDE SLING TYPE BADGE HOLDER OF SELF GOODS APPROXIMATELY 1 1/2" WIDE TO EXTEND FROM SHOULDER SEAM TO THE MIDDLE OF POCKET OF LEFT FRONT. THERE SHALL BE TWO THREAD EYELETS 1 1/4" APART WITH THE LOWER EYELET APPROXIMATELY 3/4" ABOVE THE FLAP, TO BE ON A VERTICAL LINE WITH POCKET PLEAT.</p> <p>BACK: THE BACK IS TO HAVE A DOUBLE PLY YOKE. ONE YOKE IS TO BE OF THE BASIC MATERIAL AND THE INSIDE YOKE IS TO BE OF MATCHING SATIN AS USED IN THE COLLAR STAND. THE YOKES ARE TO BE FINISHED 3 1/2" AT THE CENTER.</p>			

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05	BIDDER:	PAGE 23
	<p>THE FRONTS AND BACK ARE TO BE HEMMED SEPARATELY AND ARE TO BE JOINED TOGETHER WITH A TRIANGULAR PIECE OF MATERIAL AT THE BOTTOM OF EACH SIDE SEAM.</p> <p>BOTTOM HEM: THE FRONTS AND BACK ARE TO BE HEMMED SEPARATELY AND ARE TO BE JOINED TOGETHER WITH A TRIANGULAR PIECE OF MATERIAL AT THE BOTTOM OF EACH SIDE SEAM.</p> <p>SHOULDER STRAPS: THE SHOULDER STRAPS SHALL BE POINTED AT THE END TOWARD THE NECK OF THE SHIRT. THE OTHER END SHALL BE SEWN INTO THE SLEEVE HEAD SEAM. THE SHOULDER STRAP SHALL MEASURE 2" AT THE SLEEVE AND TAPER TO 1 3/8". STRAPS TO BE SET ABOUT 1/2" FROM COLLAR. SHOULDER STRAPS SHALL BE CROSS STITCHED TO SHOULDER 2" FROM SLEEVE HEAD SEAM, AND DIAGONALLY ACROSS FROM EACH END OF SEAM. SHOULDER STRAPS TO BE EDGE EACH SIDE ON TOP WITH 1/8" GOLD BRAID. BRAID PREVENT PULLING OR RAVELING. BRAID WILL PROTRUDE AT LEAST 1/4" INSIDE SEAM IN ORDER TO PREVENT PULLING OUT.</p> <p>SHOULDER STRAPS SHALL BE ON TOP OF SHOULDER AND WILL BE 1/2" AWAY FROM COLLAR WHEN BUTTONED. THERE SHALL BE A SMALL BUTTONHOLE IN THE YOKE TO ACCOMMODATE A METAL BUTTON WHICH SECURES THE POINTED END OF THE STRAP TO THE SHOULDER. A SEPARATE PIECE OF MATERIAL, SEWN ON THREE SIDES, IS POSITIONED BENEATH THE YOKE TO PROTECT THE WEARER FROM THE TOGGLE.</p> <p>INTERLINING: ALL INTERLINING TO BE WITH GOOD QUALITY SANFORIZED SHEETING, PRESHRUNK. THE COLLAR LEAF TO HAVE 2.85 WEIGHT, AND THE CENTER FACING AND FLAPS TO HAVE 5.50 WEIGHT.</p> <p>SIZE MARKING: SIZE SHALL BE SHOWN ON A WOVEN LABEL IN THE NECK OF THE SHIRT AND SHALL BE MARKED WITH INDELIBLE INK ON THE OUTSIDE OF THE LEFT FRONT TAIL.</p> <p>NAME LABEL: A NAME LABEL SHALL BE SEWN TO THE LEFT FRONT AT THE BOTTOM.</p> <p>BUTTONS: FRONT BUTTONS SHALL BE MADE FROM 22 LIGNE MALAMINE MATERIAL AND MUST MATCH THE FABRIC.</p> <p>PRESSING AND PACKING: SHIRTS TO BE PRESSED BY HAND IN FIRST CLASS MANNER IN INDUSTRY STANDARD SEMI STANDUP FORM. SHIRTS TO BE PACKED IN PLASTIC BAG, TWO (2) PER BOX. BOX SIZE TO BE 13-1/2" X 9" X 3 1/2" WITH SHIRT SIZES MARKED ON THE OUTSIDE OF THE BOX AT ONE END. SHIRTS TO BE SHIPPED IN STRONG BOXES SO AS NOT TO BE DAMAGED IN SHIPMENT.</p> <p>CONDITIONS: SECONDS, IRREGULARS, OR SHORTS NOT ACCEPTABLE.</p> <p>EMBLEMS: LOUISIANA STATE POLICE EMBLEMS SHALL BE SEWN ON EACH SLEEVE 1/2" FROM SHOULDER SEAM AND WILL BE FURNISHED BY AGENCY TO SUCCESSFUL VENDOR.</p> <p>LADIES SIZES: 30, 32, 34, 36, 38, 40, 42, 44, 46, 48 AND 50</p>	

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 24

34

SPECIFICATIONS FOR
LOUISIANA STATE POLICE

SHORT SLEEVE SHIRTS - CLASS "A" - LADIES

STYLE: IT IS THE INTENTION OF THIS DEPARTMENT TO SECURE A TAILORED SHIRT EQUAL IN QUALITY OF WORKMANSHIP AND STYLE TO THE SHIRT NOW ON DISPLAY AS A SAMPLE.

TAILORING: IT IS ALSO IMPERATIVE THAT THIS GARMENT BE CONSTRUCTED ACCORDING TO THE PRINCIPLES SET FORTH IN THE SPECIFICATIONS. ALL STITCHES MUST BE OF THE PROPER SIZE AND TENSION SO AS TO AVOID PUCKERING.

SHORT SLEEVE SHIRTS TO HAVE CONVERTIBLE COLLAR. LADIES SHIRTS WILL CONFORM TO MODERN LADIES' PATTERNS.

ALL SEWING SHALL BE WITH THE FINEST VAT DYED THREAD, COLOR TO MATCH THE FABRIC. THE COLLAR AND CUFFS WILL BE SINGLE STITCHED 1/4" FROM EDGE. THE POCKETS, FLAPS, SHOULDER STRAPS, AND YOKE ARE TO BE STITCHED ON THE EDGE.

SHIRT MATERIAL: BASIC FABRIC TO BE RAEFORD WORSTED COMPANY STYLE 571604, 55% DACRON POLYESTER/45% WORSTED WOOL WITH RESTORA FINISH, TROPICAL WEAVE, 8-8 1/2 OUNCE PER LINEAR YARD, 2 PLY WARP AND FILLING, 100 POUNDS IN THE WARP AND 80 POUNDS IN THE FILLING, 60 ENDS PER INCH AND 50 PICKS PER INCH, BACK-FACE OF FABRIC MUST BE STAMPED WITH MILL TRADEMARK AND COLOR TO MATCH RAEFORD SHADE #604 (ROYAL BLUE).

CREASING: POCKETS AND POCKET FLAPS TO BE DIE CUT AND CREASED TO GIVE UNIFORM SHAPE AND SIZE.

MILITARY PRESS: SHIRT TO HAVE STITCHED-IN PLEATS IN FRONT, BACK, SLEEVES, FLAPS AND POCKETS TO GIVE APPEARANCE OF PERMANENT MILITARY PRESS. ALL STITCHED PLEATS ARE TO BE 1/16". THERE SHALL BE THREE STITCHED PLEATS ON THE BACK: ONE ON EACH FRONT TO BE CENTERED WITH THE CENTER OF EACH FLAP AND POCKET PLEAT. EACH POCKET AND FLAP SHALL HAVE A STITCHED PLEAT CENTERED AS A CONTINUATION OF FRONT PLEAT. EACH SLEEVE SHALL HAVE A STITCHED CREASE FROM CENTER OF SHOULDER STRAP TO END OF SLEEVE.

COLLAR: THE POINTS ARE TO BE 3" IN LENGTH. THE BACK OF THE STAND IS TO MEASURE 1 3/8".

PERMANENT COLLAR STAYS OF PROPER LENGTH ARE TO BE SEWN INSIDE COLLAR SO THAT NO STITCHES ARE MADE THROUGH BOTTOM LEAF.

SATIN LINING: BACK INNER STAND OF COLLAR AND INNER YOKE TO BE MADE OF LIEBERMAN AND HERCULES SATIN, COLOR TO MATCH.

SLEEVES: SHORT SLEEVES

ZIPPER: THE FRONT CLOSURE SHALL BE ACCOMPLISHED BY A CONCEALED ZIPPER ATTACHED TO THE CENTER FRONT AND THE BUTTON STAND BETWEEN THE FIRST

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05	BIDDER:	PAGE 25
<p>AND SIXTH BUTTONS. THE ZIPPER SHALL HAVE A METAL ENCLOSURE AT THE BOTTOM (USE YKK, STYLE CFO 456 OR EQUIVALENT).</p> <p>FRONT: THE FRONT SHALL HAVE A CENTER FACING 11/2" WIDE EXTENDING FROM THE COLLAR STAND TO THE BOTTOM OF THE SHIRT. THIS FACING IS TO BE MADE OF THE SAME MATERIAL AS THE SHIRT FABRIC AND IS TO HAVE TWO ROWS OF STITCHING.</p> <p>THE CENTER FRONT SHALL CONTAIN SIX (6) VERTICAL BUTTONHOLES PLACED 3/4" FROM EDGE AND 3 1/2" APART.</p> <p>THE BUTTON STAND, 7/8" WIDE, SHALL BE SELF LINED AND PLACED ON THE RIGHT SIDE EXTENDING FROM THE COLLAR STAND TO THE BOTTOM OF THE SHIRT. TWO BUTTONS SHALL BE SECURELY ATTACHED TO THE BUTTON STAND AND SHALL CORRESPOND TO THE BUTTONHOLES ON THE CENTER FACING. THE BALANCE OF THE FRONT BUTTONS FOUR (4) SHALL BE SEWN OVER THE CORRESPONDING FRONT BUTTONHOLES, POSITIONS 2, 3, 4 AND 5.</p> <p>POCKETS: TWO POCKETS WITH 1 1/2 BOX PLEATS STITCHED TO PREVENT SPREADING 4-7/8" WIDE BY 5 1/4" DEEP WITH MITRED CORNERS. POCKET TO BE DIE CUT AND DIE CREASED TO INSURE UNIFORMITY OF SHAPE AND SIZE. LEFT POCKET TO HAVE A PENCIL DIVISION. VELCRO ON BOTH POCKETS TO MATCH VELCRO ON FLAPS. SMALL BUTTONHOLE IN POCKET TO ACCOMODATE REMOVABLE BUTTON.</p> <p>FLAPS: TO BE EDGED ON SIDES AND BOTTOM WITH 1/8" GOLD BRAID. TO HAVE TWO SCALLOPED FLAPS LINED, TO BE FINISHED 6" WIDE CENTER POINTS OF 2 3/4" AND SIDE POINTS OF 2 5/8". THE FLAPS ARE TO BE SECURED TO THE FRONT OF THE SHIRT WITH TWO ROWS OF STITCHING AND ARE TO BE POSITIONED APPROXIMATELY 1/4" ABOVE THE TOP OF THE POCKETS. THE LEFT FLAP IS TO HAVE A PENCIL OPENING OF APPROXIMATELY 1 1/2". THE SIDE POINTS OF THE FLAPS ARE TO BE SECURED TO THE POCKETS BY MEANS OF VELCRO SECURED ON THE FLAPS AND POCKETS.</p> <p>BADGE HOLDER: THERE SHALL BE AN INSIDE SLING TYPE BADGE HOLDER OF SELF GOODS APPROXIMATELY 1 1/2" WIDE TO EXTEND FROM SHOULDER SEAM TO MIDDLE OF POCKET OF LEFT FRONT. THERE SHALL BE TWO THREAD EYELETS 1 1/4" APART WITH THE LOWER EYELET APPROXIMATELY 3/4" ABOVE THE FLAP, TO BE ON A VERTICAL LINE WITH POCKET PLEAT.</p> <p>BACK: THE BACK IS TO HAVE A DOUBLE PLY YOKE. ONE YOKE IS TO BE OF THE BASIC MATERIAL AND THE INSIDE YOKE IS TO BE OF MATCHING SATIN AS USED IN THE COLLAR STAND. THE YOKES ARE TO BE FINISHED 3 1/2" AT THE CENTER.</p> <p>THE FRONTS AND BACKS ARE TO BE HEMMED SEPARATELY AND ARE TO BE JOINED TOGETHER WITH A TRIANGULAR PIECE OF MATERIAL AT THE BOTTOM OF EACH SIDE SEAM.</p> <p>BOTTOM HEM: THE FRONTS AND BACKS ARE TO BE HEMMED SEPARATELY AND ARE TO BE JOINED TOGETHER WIT A TRIANGULAR PIECE OF MATERIAL AT THE BOTTOM OF EACH SIDE SEAM.</p> <p>SHOULDER STRAPS: THE SHOULDER STRAPS SHALL BE POINTED AT THE END TOWARD THE NECK OF THE SHIRT. THE OTHER END SHALL BE SEWN INTO THE SLEEVE HEAD SEAM. THE SHOULDER STRAP SHALL MEASURE 2" AT THE</p>		

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05	BIDDER:	PAGE 26
	<p>SLEEVE AND TAPER TO 1 3/8". STRAPS TO BE SET ABOUT 1/2" FROM COLLAR. SHOULDER STRAPS SHALL BE CROSS STITCHED TO SHOULDER 2" FROM SLEEVE HEAD SEAM, AND DIAGONALLY ACROSS FROM EACH END OF SEAM. SHOULDER STRAPS TO BE EDGE EACH SIDE ON TOP WITH 1/8" GOLD BRAID. BRAID PREVENT PULLING OR RAVELING. BRAID WILL PROTRUDE AT LEASE 1/4" INSIDE SEAM IN ORDER TO PREVENT PULLING OUT.</p> <p>SHOULDER STRAPS SHALL BE ON TOP OF SHOULDER AND WILL BE 1/2" AWAY FROM COLLAR WHEN BUTTONED. THERE SHALL BE A SMALL BUTTONHOLE IN THE YOKE TO ACCOMMODATE A METAL BUTTON WHICH SECURES WITH POINTED END OF THE STRAP TO THE SHOULDER. A SEPARATE PIECE OF MATERIAL, SEWN ON THREE SIDES, IS POSITIONED BENEATH THE YOKE TO PROTECT THE WEARER FROM THE TOGGLE.</p> <p>INTERLINING: ALL INTERLINING TO BE WITH GOOD QUALITY SANFORIZED SHEETING, PRESHRUNK. THE COLLAR LEAF TO HAVE 2.85 WEIGHT, AND THE CENTER FACING AND FLAPS TO HAVE 5.50 WEIGHT.</p> <p>SIZE MARKING: SIZE SHALL BE SHOWN ON A WOVEN LABEL IN THE NECK OF THE SHIRT AND SHALL BE MARKED WITH INDELIBLE INK ON THE OUTSIDE OF THE LEFT FRONT TAIL.</p> <p>NAME LABEL: A NAME LABEL SHALL BE SEWN TO THE LEFT FRONT AT THE BOTTOM.</p> <p>BUTTONS: FRONT BUTTONS SHALL BE MADE FROM 22 LIGNE MELAMINE MATERIAL AND MUST MATCH THE FABRIC.</p> <p>PRESSING AND PACKING: SHIRTS TO BE PRESSED BY HAND IN FIRST CLASS MANNER IN INDUSTRY STANDARD SEMI STANDUP FORM. SHIRTS TO BE PACKED IN PLASTIC BAG, TWO (2) PER BOX. BOX SIZE TO BE 13 1/2" X 9" X 3 1/2" WITH SHIRT SIZES MARKED IN THE OUTSIDE OF THE BOX AT ONE END. SHIRTS TO BE SHIPPED IN STRONG BOXES SO AS NOT TO BE DAMAGED IN SHIPMENT.</p> <p>CONDITIONS: SECONDS, IRREGULARS, OR SHORTS NOT ACCEPTABLE.</p> <p>EMBLEMS: LOUISIANA STATE POLICE EMBLEMS SHALL BE SEWN ON EACH SLEEVE 1/2" FROM SHOULDER SEAM AND WILL BE FURNISHED BY AGENCY TO SUCCESSFUL VENDOR.</p> <p>LADIES SIZES: 32, 34, 36, 38, 40, 42, 42, 44, 46, 48, AND 50</p>	
35	<p style="text-align: center;">SPECIFICATIONS FOR</p> <p style="text-align: center;">LOUISIANA STATE POLICE AND DPS</p> <p style="text-align: center;">TROUSERS - CLASS "B" - LADIES & MEN'S</p> <p>STYLE: TAILORED TROUSER, EQUAL IN QUALITY, WORKMANSHIP AND STYLE NOW IN USE BY THE AGENCY.</p> <p>FABRIC: TROUSERS: RAEFORD "LONG LIFE" - STYLE NO. 6038-604 75% POLYESTER - 25% WORSTED WOOL</p>	

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 27
<p>WEIGHT: 11-1/2 - 12 OUNCE PER LINEAR YARD SERGE. SPUN WARP AND SPUN FILLING YARNS</p> <p>POCKETING: 75% POLYESTER/25% RAYON COTTON. MINIUM 2.70 WT. WITH A 70 X 60 COUNT COLOR: BLACK OR EQUIVALENT TO BLEND WITH TROUSER</p> <p>CROTCH AND RIGHT FLY LINING: SAME AS POCKETING LINING</p> <p>COLOR: ROYAL BLUE</p> <p>DESIGN: STYLE: CONFORM TO MODERN UPDATED, CONTOUR CUT UNIFORM TROUSERS, PLAIN FRONT, TWO (2) FRONT, TWO (2) BACK POCKETS</p> <p>POCKET DESIGN: FRONT POCKET: QUARTER TOP STYLE SEWN INTO WAISTBAND OPENINGS: MINIMUM OF 6-1/2" FROM TOP BARTACK TO BOTTOM BARTACK STITCHED, TURNED AND BACK STITCHED CONSTRUCTION FACING: SEPARATE INSIDE FACING TO GIVE MINIMUM OF FOUR (4) FLY STRENGTH AT ENTRY OF POCKET - DOUBLE REINFORCED BOTTOMS OR COATED POCKETING KNOWN AS DURA RUFF POCKET DEPTH: MINIMUM 6"</p> <p>HIP POCKETS: REECE PIPED ENTRY BAR-TACKED ON RIGHT AND LEFT SIDES FOR EXTRA STRENGTH COVERED WITH AN ENVELOPE STYLE FLAP POCKET DEPTH : 6" STITCHED, TURNED AND BACK STITCHED LINING: SAME FABRIC AS POCKET LINING</p> <p>FLAP CLOSURES - ENVELOPE STYLE FASTENERS: BUTTON (BUTTONHOLES STITCHED IN FLAP) FLAP SIZE: LENGTH- APPROXIMATELY 2-1/2" AT CENTER APPROXIMATELY 1-3/4" AT SIDES LINING: SAME FABRIC</p> <p>BELT LOOPS: MINIMUM OF SEVEN (7) LOOPS, INCLUDING ONE (1) AT CENTER BACK FOR OUTLET SEAM. WIDTH: 5/8" MINIMUM - LENGTH: 2" MINIMUM DOUBLE THICKNESS, AND INTERLINED WITH BUCKRAM DOUBLE STITCHED DOWN EACH SIDE WITH 1/4" SPACE IN CENTER STITCHED INTO WAISTBAND SEAM AT TOP AND BOTTOM</p> <p>BOTTOMS: UNFINISHED</p> <p>CREASES: LINTRACK PERMANENT CREASES ON BOTH FRONT AND REAR CREASE. LINTRACK MUST BE APPLIED IN ONE SINGLE LINE APPLICATION AND NOT MANUALLY, "PAINTED ON".</p> <p>WAISTBAND: "CLOSED METHOD" CONSTRUCTION. MINIMUM 2" WIDE FINISHED (SELF FABRIC) CLOSURE: CRUSH PROOF HOOK AND EYE REINFORCED WITH STAYS OF NON-WOVEN FABRIC ANCHORED BY TOPSTITCHING FOR THE FLY FACING AND CURTAIN. TOP OF WAISTBAND MUST BE TOPSTITCHED AND TOPSTITCHED</p>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 28
<p>1/16" BELOW WAISTBAND SEAM. TOP PORTION OF INSIDE TO CONSIST OF SAME FABRIC AS POCKETING WITH MINIMUM 80 X 62 (+/-) 2 COUNT. FABRIC CUT ON BIAS. 1-7/8"W AND FINISH 1-1/8"W AFTER CONSTRUCTION ALTERATION ALLOWANCE: 2" MINIMUM SNUGTEXT (3 STRAND) SEWN ON LINING INSIDE WAISTBAND OR COMFORT-IN-ACTION IV WAISTBAND. UPPER WAISTBAND CURTAIN: INNER LINED WITH STRETCH BAN-ROL CANVAS CONSISTING OF A WARP OF 47 ENDS OF TEXTURIZED NYLON A FILL OF 34 ENDS OF 750 DENIER POLYESTER MONOFILAMENT. WOVEN FABRIC COATED WITH LATEX. FINISHED CANVAS FABRIC WEIGHT: 12.0 OZ/YD CANVAS CUT 1-1/2" MONOFILAMENT RUNNING VERTICALLY WITH 10% STRETCH BOTTOM WAISTBAND CURTAIN: 32% NYLON, 38" POLYESTER, 18% RUBBER (3 STRANDS) 11% LYCRA AND 1% ACRYLIC WOVEN. 1-7/8"W AND FINISH 1-3/8"W. MINIMUM OF 40% STRETCH. UPPER PORTION: 10% STRETCH. FIRM ENOUGH TO PREVENT WAISTBAND ROLLOVER.</p> <p>CROTCH LINING: FRONT AND BACK AREA LINED WITH FOLDED MATERIAL (SAME AS POCKETING). CONSTRUCTED WITH NO RAW OR PINKED EXPOSED EDGES.</p> <p>FLY: RIGHT FLY: LINING AND CROTCH PIECE EXTENSION (SAME AS POCKETING) TO BE ONE-PIECE, SEWN DOWN FLAT. A SEPARATE FRENCH FLY EXTENSION OF SELF MATERIAL SET INTO THE RIGHT FLY ANGLE. BUTTONHOLE AT THE END OF FRENCH FLY LINING. BUTTON LOCATED ON LEFT FLY CORRESPONDING WITH FRENCH FLY TAB. STRAIGHT BARTACK AT BOTTOM OF FLY STITCHED THROUGH ZIPPER TAPE. LEFT FLY: LINED AND CORDED.</p> <p>ZIPPER: TALON (GRIPPER-ZIPPER) #42 BRASS OR EQUIVALENT. METAL BOTTOM STOP, PERMA PRESS TREATED TAPE.</p> <p>THREAD: COLOR-FAST POLYESTER OF MONOFILAMENT POLYESTER TO MATCH FABRIC.</p> <p>STITCHING, PRESSING, FINISHING: CHAINSTITCH SEWN OUTSEAMS AND INSEAMS TO REDUCE SEAM POPPING. SEAT SEAMS STITCHED WITH A TANDEM NEEDLE SEAT SEAMING MACHINE. TWO (2) ROWS STITCHING ON ALL SEAMS WITH THE EXCEPTION OF SEAT THREE (3) ROWS STITCHING ON ALL SEAT SEAMS TOPSTITCHING/STITCHING WHICH SHOWS: 10-11 STITCHES PER INCH ALLOW AMPLE SEAMS FOR WAIST AND LENGTH ALTERATION REINFORCE WITH BARTACKS ON ALL POINTS OF STRAIN NEATLY PRESSED ON HOT-HEAD PRESSES AND PROPERLY SHAPED. OUTSEAMS AND INSEAMS PRESSED OPEN CLEANED AND FINISHED; LOOSE THREADS REMOVED</p> <p>LABELING: FABRIC LABELS PERMANENTLY AFFIXED TO TROUSER LABELS TO BE WOVEN (NOT PRINTED, STATING THE FABRIC'S FIBER CONTENT, BRAND IDENTIFICATION AND GARMENT CARE INSTRUCTIONS). PERMANENT LABEL INDICATING SIZE SHALL BE SEWN INSIDE ON THE HIP POCKET. (I.E., "S" FOR SHORT, "R" FOR REGULAR, "L" FOR LONG, SIZE 28)</p>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 29

WARRANTY: ONE YEAR AGAINST WORKMANSHIP AND FABRIC DEFECTS.

SIZING: SUCCESSFUL VENDOR SHALL MAKE FULL-CUT PATTERNS TO THE EXACT SIZE MEASUREMENTS OF THE TROUSER NOW IN USE. FAILURE TO PROPERLY DUPLICATE EXISTING DESIGN WILL BE CAUSE FOR REJECTION.

SIZES MUST BE AVAILABLE AS FOLLOWS:

MEN'S WAIST: 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 42, 44, 46, 48, 50, 52, 54, AND 56

LADIES: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 AND 28

LENGTH: (UNFINISHED) - SHORT - 35"
REGULAR - 37"
LONGS - 39"
X-LONG - 41"

36

SPECIFICATIONS FOR

LOUISIANA STATE POLICE

SHIRTS - CLASS "B" - MEN'S & LADIES - BLUE

STYLE: SHORT SLEEVE TAILORED SHIRT

FABRIC: RAEFORD #3906
75% DACRON - 25% WOOL - 2 PLY TROPICAL
FAST COLOR
SHRINKAGE: NOT TO EXCEED 2%
WEIGHT: 1/8 - 1/2 OUNCE

COLOR: BLUE - SHADE NUMBER 604

INTERLINING: GOOD QUALITY SANFORIZED SHEETING, PRESHRUNK
COLOR LEAF TO HAVE 2.85 WEIGHT
CENTER FACING AND FLAPS: 5.50 WEIGHT

DESIGN: STYLE: SHORT SLEEVE - TAPERED FORM FIT
CONCEALED ZIPPER FRONT AND CONVERTIBLE COLLAR STITCHED
IN MILITARY CREASES. LADIES SHIRT WILL CONFORM TO MODERN
LADIES' PATTERNS.

FRONT: 1-1/2" PLACKET ON TOP CENTER FRONT
PLACKET STITCHED 1/4" FROM EACH SIDE WITH 1" CENTER
ZIPPER SANDWICHED AND EXTENDED FROM THE SECOND TO THE
SIXTH BUTTONHOLE WITH STITCH CONCEALED UNDER THE CENTER STRIP.
BUTTONS AND BUTTONHOLES: SEVEN (7) TOTAL - TWO (2) AT TOP AND
ONE (1) AT BOTTOM TO OPEN AND CLOSE.
FACED ON EACH UNDERSIDE WITH NO LESS THAN 2-1/2"+ OR - 1/8"
TURN UNDER OF SHIRT FABRIC.
ZIPPER: NYLON SEPARATING ZIPPER WITH NYLON COIL, MATCHING
BINDER SEAM, MATCHING COLOR, ALL MOLDED PLASTIC.
BUTTONS: FIRST QUALITY MATCHING OR COORDINATING COLOR
SIZE: 22 LIGNE MELAMINE MATERIAL - 4 HOLE STYLE

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 30
<p>POCKETS: TWO (2) POCKETS - DIE CUT AND CREASED TO INSURE UNIFORMITY SIZE: 5-3/8" WIDE BY 6" DEEP WITH MITERED CORNERS 1/4" HEM, 1-1/2" BOX PLEATS STITCHED TO PREVENT SPREADING 1-1/2" PENCIL DIVISION 1/16" STITCHED-IN CREASE TOP STITCHED ON EDGE</p> <p>FLAPS: TWO (2) FLAPS - ONE (1) PIECE, DIE CUT AND CREASED TO INSURE UNIFORMITY - TOP STITCHED ON EDGE SIZE: WIDTH: SAME AS POCKET (APPROX 5-3/8"+-), LENGTH 2" AT SIDES AND 2-1/2" AT CENTER. 1/16" STITCHED-IN CREASE VELCRO FASTENERS ON EACH END-UNDERSIDE OF FLAP AND POCKET HORIZONTAL BUTTONHOLE 5/8" ABOVE CENTER POINT BUTTON SEWN ON TOP OF BUTTONHOLE</p> <p>BADGE PATCH: BADGE PATCH MADE WITH SELF FABRIC - APPROXIMATELY 1-1/2" WIDE INSIDE SLING TYPE - EXTENDING FROM LEFT SHOULDER SEAM TO POCKET. TWO (2) SMALL BUTTONHOLES, SEWN ON LEFT FRONT STITCHED-IN CREASE, 1-1/4" APART WITH THE LOWER BUTTONHOLE APPROXIMATELY 1-1/8" ABOVE FLAP.</p> <p>COLLAR: CONVERTIBLE TYPE - POINTS APPROXIMATELY 3" LONG, TOP STITCHED</p> <p>SLEEVES: ONE (1) PIECE LENGTH: 10" TO 11-1/8" HEM: 3/4"</p> <p>YOKE: TWO (2) PIECE - OUTSIDE TOP STITCHED ON EDGE SIZE: 3-3/4" DEEP (APPROXIMATELY) AT CENTER - APPROXIMATELY 3-7/8" EACH END JOINING SLEEVE SEAM. 1/16" TOP STITCHED LINING: SAME FABRIC</p> <p>SHOULDER STRAP: SIZE: WIDTH: 2" AT SLEEVE HEAD, TAPERED TO 1-1/4" AT ENDS, GRADUATED TO 7/8" POINT. SET APPROXIMATELY 1/2" FROM COLLAR SEAM. LENGTH: STRAP LENGTH CONFORMED TO SHIRT SIZE BUTTONS: ATTACHED TO YOKE TO MATCH SHOULDER STRAP BUTTONHOLES AT POINTED ENDS. STRAPS: SEWN INTO SLEEVE SEAM AND TOP STITCHED TO YOKE FROM SHOULDER APPROXIMATELY 2" OF STRAP IN "X" CROSS DESIGN. DIE CUT AND LINED WITH CREASE "N" TACK. TOP STITCHED ON EDGE</p> <p>STITCHED CREASES: FRONT: 1/16" STITCHED-IN CREASES - ONE (1) CENTERED EACH SIDE. FLAPS AND POCKETS: 1/16" STITCHED-IN CREASES MATCHING WITH SHIRT STITCHED-IN CREASES. BACK: THREE (3) 1/16" STITCHED-IN CREASES - ONE (1) IN CENTER OF BACK AND ONE (1) IN BETWEEN CENTER STITCH AND SIDES.</p> <p>EMBLEMS: LOUISIANA DPS POLICE EMBLEMS FURNISHED TO VENDOR SEW ON EACH SLEEVE 1/2" FROM SHOULDER SEAM</p>			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 31

STITCHING: SLEEVING AND CLOSING OPERATIONS - OVER LOCK WITH SAFETY STITCH.
STITCHES AND TENSION MUST NOT CAUSE PUCKERING

THREAD: VAT DIED MERCERIZED - COLOR TO MATCH FABRIC

CUTTING: DIE CUT COLLARS, POCKETS, FLAPS AND SHOULDER STRAPS TO INSURE UNIFORMITY.

PRESSING FOLDING: PRESSED ON HOT HEAD MACHINES, FOLDED AND SECURED WITH JET CLIPS.

PACKING: PACKAGE ONE (1) PER POLY BAGS, TWO (2) PER BOX
BOX SIZE: 13-1/2" X 9" X 3-1/2"
MARK SIZE ON ONE (1) END EACH BOX
BOX MUST BE STURDY TO WITHSTAND DAMAGE IN SHIPMENT

LABELING: FABRIC LABELS PERMANENTLY AFFIXED TO INSIDE YOKE, STATE SIZE, LAUNDRY CARE.

NAME LABEL SEWN INSIDE BOTTOM LEFT BOTTOM

SIZE MARKING: SIZE ON WOVEN LABEL IN THE NECK AND MARKED WITH INDELIBLE INK ON THE OUTSIDE OF THE LEFT FRONT TAIL

LAUNDRY CARE: MACHINE WASH IN WARM WATER, DELICATE CYCLE, WASH DARKS SEPARATELY USE ANY DETERGENT. DO NOT USE SOAP, BLEACH OR FABRIC SOFTENER. TUMBLE DRY, LOW HEAT AND REMOVE PROMPTLY, IF STEAM IRON, USE LOW SETTING.

WARRANTY: ONE (1) YEAR AGAINST WORKMANSHIP AND FABRIC DEFECTS.

SIZING: SUCCESSFUL VENDOR SHALL MAKE FULL CUT PATTERNS TO EXACT SIZE MEASUREMENTS OF GARMENT NOW IN USE. FAILURE TO PROPERLY DUPLICATE EXISTING DESIGN SHALL BE CAUSE FOR REJECTION:

SIZES MUST BE AVAILABLE AS FOLLOWS:
FINISHED SIZES:

NECK:	14-1/2	15	15-1/2	16	16-1/2	17	17-1/2	18	18-1/2	19
CHEST:	42	44	46	48	50	52	54	56	58	60
WAIST:	37	39	41	43	45	48	50	53	56	58
SLEEVE										
LENTH:	10	10	10	10-1/2	10-1/2	11	11	11	11	11-1/8

NECK:	19-1/2	20	21
CHEST:	62	64	68
WAIST:	60	62	66
SLEEVE			
LENGTH:	11-1/8	11-1/8	11-1/8

LADIES SIZES: 30, 32, 34, 36, 38, 40, 42, 44, 46, 48 & 50

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 32
<p>LONG SLEEVE SHIRTS - CLASS "A" - MEN'S AND WOMEN'S</p> <p>STYLE: LONG SLEEVE PERMANENT PRESS POLICE SHIRT</p> <p>FABRIC: MILL - MILLIKEN FABRIC #7452 100% TEXTURIZED DACRON POLYESTER (FEATHERWEIGHT) GABARDINE WEAVE - 2 X 1 CONSTRUCTION, 7.0 OZ PER LINEAR YARD OR 4.3 OZ (+/- .25) PER SQUARE YARD. FINISHED THREAD COUNT: 93 WARK ENDS AND 80 FILLING PICKS PER INCH. TINSEL STRENGTH: TEST TO 206+ LBS WARP, 153+ LBS FILL PRIOR TO RUPTURE. TEAR STRENGTH: TEST 7.0 LBS WARP, 6.4 LBS PRIOR TO FABRIC TEARING. PILLING TEST: 5.0 OUT OF 5.0 AFTER FIRST FIVE (5) 0 WASHINGS ABRASIVE RESISTANCE: NOTICABLE WEAR AT 5000+ CYCLES SHRINKAGE ALLOWANCE: APPROXIMATLEY 1.5% FAST COLOR: GUARANTEED WASHABLE-RATED 4.0 ON 20 HR. LIGHT FASTNESS LAUNDRING AND AGAINST PERSPIRATION SHADE CHANGE (AATCC APPROVED) PERMANENT PRESS: SUBJECT TO WASHING CARE INSTRUCTIONS WRINKLE RECOVERY: TESTS TO 3.5 OUT OF A MAXIMUM OF 5.0 VISA FINISH: A SOIL RELEASE, THAT COMBINES WITH A COLOR BRIGHT RETENTION AND MOISTURE ABSORBENCY FOR MAXIMUM COMFORT. SOIL RELEASE: TEST TO 4.0 OUT OF A MAXIMUM OF 5.0 MOISTURE WICKING: (FABRIC ABSORBS AND DISBURSES MOISTURE) ON A ONE TO FOUR SECOND TEST.</p> <p>COLOR: LIGHT GRAY - SHADE NUMBER 6683</p> <p>LINING: 100% POLYESTER TWILL, WARP 130 COUNT OF 75 DENIER, POLYESTER FILLING 76 COUNT OF 100 DENIER POLYESTER</p> <p>DESIGN: STYLE: LONG SLEEVE - TAPERED FORM FIT CONCEALED ZIPPER FRONT AND BANDED COLLAR STITCHED IN MILITARY CREASES</p> <p>FRONT: 1-1/2" PLACKET ON TOP CENTER FRONT PLACKET STITCHED 1/4" FROM EACH SIDE WITH 1" CENTER ZIPPER SANDWICHED AND EXTENDED FROM THE SECOND TO THE SIXTH BUTTONHOLE WITH STITCH CONCEALED UNDER THE CENTER STRIP. BUTTONS AND BUTTONHOLES: SEVEN (7) TOTAL - TWO (2) AT TOP AND ONE (1) AT BOTTOM TO OPEN AND CLOSE. FACED ON EACH UNDERSIDE WITH NO LESS THAN 2-1/2" +/- 1/8" TURN UNDER OF SHIRT FABRIC ZIPPER: NYLON SEPARATING ZIPPER WITH NYLON COIL (TALON) MATCHING BINDER SEAM, MATCHING COLOR, ALL MOLDED PLASTIC BUTTONS: FIRST QUALITY MATCHING OR COORDINATING COLOR (PEARLIZED) SIZE: 19 LIGNE WITH 4 HOLE STYLE</p> <p>POCKETS: TWO (2) POCKETS - DIE CUT AND CREASED TO INSURE UNIFORMITY SIZE: 5-3/8" WIDE BY 6" DEEP WITH MITERED CORNERS 1/4" HEM, 1-1/2" BOX PLEATS STITCHED TO PREVENT STREADING 1-1/2" PENCIL DIVISION</p>			

SPECIFICATIONS		INVITATION TO BID													
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05		BIDDER:	PAGE 33												
<div>1/16" STITCHED-IN CREASE</div> <div>BADGE PATCH: BADGE PATCH MADE WITH SELF FABRIC - APPROXIMATELY 1-1/2" WIDE INSIDE SLING TYPE - EXTENDING FROM LEFT FRONT SEAM TO POCKET TWO (2) SMALL BUTTONHOLES, SEWN ON LEFT FRONT STITCHED-IN CREASE, 1-1/4" APART WITH THE LOWER BUTTONHOLE APPROXIMATELY 1-1/8" ABOVE FLAP.</div> <div>FLAPS: TWO (2) FLAPS - ONE (1) PIECE, DIE CUT AND CREASED TO INSURE UNIFORMITY. SIZE: WIDTH 5-1/2", LENGTH 2-1/2" AT SIDES 1/16" STITCHED-IN CREASE SNAPS ON UNDERSIDE OF FLAP (HAND SEWN OR DRESSMAKER SNAPS ARE NOT ACCEPTABLE). HORIZONTAL BUTTONHOLE 5/8" ABOVE POINT LINING: 100% DACRON - COLOR TO MATCH FABRIC</div> <div>COLLAR: BANDED TYPE - POINTS APPROXIMATELY 3-1/2" LONG. TOP STITCHED LINING: BANANA LINED WITH MATCHING COLOR OF 100% SATIN POLYESTER.</div> <div>SLEEVES: ONE (1) PIECE TOP PLACKET: WIDTH 2-3/4" BOTTOM PLACKET: WIDTH 1/2" PLACKET LENGTH: 4-1/2" (APPROXIMATELY) FROM TOP OF CUFF WITH OPENINGS APPROXIMATELY 5" BUTTONS: ONE (1) BUTTON AND BUTTONHOLE ON SLEEVE FACINGS. BANJO SHAPE REINFORCED EXTENDING TO TOP OF CUFF</div> <div>CUFFS: WIDTH: 2-5/8" WITH 1/2" HEM TOP STITCH: 3/16" BUTTONS: TWO (2) BUTTONS WITH CORRESPONDING BUTTONHOLES FINISHED LENGTH SIZES:<table><tr><th>COLLAR</th><th>CUFF LENGTH</th></tr><tr><td>14.5 TO 15</td><td>10"</td></tr><tr><td>15.5 TO 16</td><td>10.5"</td></tr><tr><td>16.5 TO 17</td><td>11"</td></tr><tr><td>17.5 TO 18</td><td>11.5"</td></tr><tr><td>18.5 OR LARGER</td><td>12"</td></tr></table></div> <div>YOKE: TWO (2) PIECE - OUTSIDE TOP STITCHED SIZE: 3" DEEP (APPROXIMATELY) LINING: 100% POLYESTER SATIN INSIDE YOKE LINING SMALL BUTTONHOLES SET UNDER BUTTONS MATCHING SHOULDER STRAP BUTTONHOLES SHOULDER PROTECTION: A REINFORCEMENT OF SELF FABRIC 1" WIDE BY APPROXIMATELY 2-1/4" LONG AND STITCHED TO INSIDE YOKE TO PREVENT METAL BUTTON SHANK FROM PRESSING INTO SHOULDER. SHOULDER STRAP: SIZE: WIDTH: 2" AT SLEEVE HEAD, TAPERED TO 1-5/8" AT ENDS, GRADUATED TO 7/8" POINT. LENGTH: STRAP LENGTH CONFORMED TO SIZE OF SHIRT BUTTONS: ATTACHED TO YOKE TO MATCH SHOULDER STRAP BUTTONHOLES AT POINTED ENDS. STRAPS: TOP STITCHED TO YOKE FROM SHOULDER TO APPROXIMATELY CENTER OF STRAP IN "X" CROSS DESIGN.</div>				COLLAR	CUFF LENGTH	14.5 TO 15	10"	15.5 TO 16	10.5"	16.5 TO 17	11"	17.5 TO 18	11.5"	18.5 OR LARGER	12"
COLLAR	CUFF LENGTH														
14.5 TO 15	10"														
15.5 TO 16	10.5"														
16.5 TO 17	11"														
17.5 TO 18	11.5"														
18.5 OR LARGER	12"														

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 34

STITCHED CREASES: FRONT: 1/16" STITCHED-IN CREASES - ONE(1)
CENTERED EACH SIDE
FLAPS AND POCKETS: 1/16" STITCHED-IN CREASES MATCHING WITH SHIRT
STITCHED IN CREASES.
BACK: THREE (3) 1/16" STITCHED-IN CREASES - ONE IN CENTER OF
BACK AND ONE IN BETWEEN CENTER STITCH AND SIDES.

STITCHING: SLEEVE AND CLOSING OPERATIONS - OVER LOCK WITH SAFETY
STITCH.

THREAD: SPUN POLYESTER

CUTTING: DIE CUT COLLARS, POCKETS, FLAPS AND SHOULDER STRAPS TO
INSURE UNIFORMITY.

PRESSING FOLDING: PRESSED ON HOT HEAD MACHINES, FOLDED AND SECURED
WITH JET CLIPS.

PACKING: PACKAGED IN POLY BAGS, THREE PER BOX.

LABELING: FABRIC LABELS PERMANENTLY AFFIXED TO INSIDE YOKE, STATE
SIZE, LAUNDRY CARE.

LAUNDRY CARE: MACHINE WASH IN WARM WATER, DELICATE CYCLE, WASH DARKS
SEPARATELY, USE ANY DETERGENT. DO NOT USE SOAP, BLEACH OR FABRIC
SOFTENER. TUMBLE DRY, LOW HEAT AND REMOVE PROMPTLY, IF STEAM
IRON, USE LOW SETTING. MAY BE DRY CLEANED.

WARRANTY: ONE (1) YEAR AGAINST WORKMANSHIP AND FABRIC DEFECTS.

SIZING: SUCCESSFUL VENDOR SHALL MAKE FULL CUT PATTERNS TO EXACT SIZE
MEASUREMENTS OF GARMENT NOW IN USE. FAILURE TO PROPERLY
DUPLICATE EXISTING DESIGN SHALL BE CAUSE FOR REJECTION:

SIZE MUST BE AS FOLLOWS:

MEN'S:

SLEEVE LENGTH--NECK SIZES-14 THROUGH 20 (SMALL, MEDIUM & LARGE NOT
ACCEPTABLE)

	14/14.5	15	15.5	16	16.5	17	17.5	18/18.5	19/19.5	20
32	X	X		X	X	X				
33	X	X	X	X	X	X	X	X	X	
34	X	X	X	X	X					
35		X	X	X	X	X	X	X	X	X
36		X	X	X		X				
37					X		X	X	X	X

LADIES: SIZES 30 THROUGH 48

APPARENT SUCCESSFUL BIDDER MUST PROVIDE A PRE-PRODUCTION SAMPLE FOR
APPROVAL AND EVALUATION PRIOR TO COMMENCING WITH PRODUCTION.

PATCHES: SHOULDER PATCHES PROVIDED TO VENDOR
VENDOR TO SEW ON SHIRT

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 35
<p style="text-align: center;">LOUISIANA DEPARTMENT OF PUBLIC SAFETY POLICE</p> <p style="text-align: center;">SHORT SLEEVE SHIRTS - CLASS "A" - MEN'S AND WOMEN'S</p> <p>STYLE: SHORT SLEEVE PERMANENT PRESS POLICE SHIRT</p> <p>FABRIC: MILL - MILLIKEN FABRIC #7452 100% TEXTURIZED DACRON POLYESTER (FEATHERWEIGHT) GABARDINE WEAVE - 2 X 1 CONSTRUCTION, 7.0 OZ PER LINEAR YARD OR 4.3 OZ (+/- .25) PER SQUARE YARD. FINISHED THREAD COUNT: 93 WARK ENDS AND 80 FILLING PICKS PER INCH. TINSEL STRENGTH: TEST TO 206+ LBS WARP, 153+ LBS FILL PRIOR TO RUPTURE. TEAR STRENGTH: TEST 7.0 LBS WARP, 6.4 LBS PRIOR TO FABRIC TEARING PILLING TEST: 5.0 OUT OF 5.0 AFTER FIRST FIVE (5) 0 WASHINGS ABRASIVE RESISTANCE: NOTICABLE WEAR AT 5000+ CYCLES SHRINKAGE ALLOWANCE: APPROXIMATLEY 1.5% FAST COLOR: GUARANTEED WASHABLE-RATED 4.0 ON 20 HR. LIGHT FASTNESS LAUNDRING AND AGAINST PERSPIRATION SHADE CHANGE (AATCC APPROVED) PERMANENT PRESS: SUBJECT TO WASHING CARE INSTRUCTIONS WRINKLE RECOVERY: TESTS TO 3.5 OUT OF A MAXIMUM OF 5.0 VISA FINISH: A SOIL RELEASE, THAT COMBINES WITH A COLOR BRIGHT RETENTION AND MOISTURE ABSORBENCY FOR MAXIMUM COMFORT. SOIL RELEASE: TEST TO 4.0 OUT OF A MAXIMUM OF 5.0 MOISTURE WICKING: (FABRIC ABSORBS AND DISBURSES MOISTURE) ON A ONE TO FOUR SECOND TEST.</p> <p>COLOR: LIGHT GRAY - SHADE NUMBER 6683</p> <p>LINING: 100% POLYESTER TWILL, WARP 130 COUNT OF 75 DENIER, POLYESTER FILLING 76 COUNT OF 100 DENIER POLYESTER</p> <p>DESIGN: STYLE: SHORT SLEEVE - TAPERED FORM FIT CONCEALED ZIPPER FRONT AND CONVERTIBLE COLLAR STITCHED IN MILITARY CREASES</p> <p>FRONT: 1-1/2" PLACKET ON TOP CENTER FRONT PLACKET STITCHED 1/4" FROM EACH SIDE WITH 1" CENTER ZIPPER SANDWICHED AND EXTENDED FROM THE SECOND TO THE SIXTH BUTTONHOLE WITH STITCH CONCEALED UNDER THE CENTER STRIP. BUTTONS AND BUTTONHOLES: SEVEN (7) TOTAL - TWO (2) AT TOP AND ONE (1) AT BOTTOM TO OPEN AND CLOSE. FACED ON EACH UNDERSIDE WITH NO LESS THAN 2-1/2" +/- 1/8" TURN UNDER OF SHIRT FABRIC ZIPPER: NYLON SEPARATING ZIPPER WITH NYLON COIL (TALON) MATCHING BINDER SEAM, MATCHING COLOR, ALL MOLDED PLASTIC BUTTONS: FIRST QUALITY MATCHING OR COORDINATING COLOR (PEARLIZED) SIZE: 19 LIGNE WITH 4 HOLE STYLE</p> <p>POCKETS: TWO (2) POCKETS - DIE CUT AND CREASED TO INSURE UNIFORMITY SIZE: 5-3/8" WIDE BY 6" DEEP WITH MITERED CORNERS</p>			

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05 TIME: 10:00 AM	BIDDER:	PAGE 36
	<p> 1/4" HEM, 1-1/2" BOX PLEATS STITCHED TO PREVENT STREADING 1-1/2" PENCIL DIVISION 1/16" STITCHED-IN CREASE </p> <p> BADGE PATCH: BADGE PATCH MADE WITH SELF FABRIC - APPROXIMATELY 1-1/2" WIDE INSIDE SLING TYPE - EXTENDING FROM LEFT FRONT SEAM TO POCKET TWO (2) SMALL BUTTONHOLES, SEWN ON LEFT FRONT STITCHED-IN CREASE, 1-1/4" APART WITH THE LOWER BUTTONHOLE APPROXIMATELY 1-1/8" ABOVE FLAP. </p> <p> FLAPS: TWO (2) FLAPS - ONE (1) PIECE, DIE CUT AND CREASED TO INSURE UNIFORMITY. SIZE: WIDTH 5-1/2", LENGTH 2-1/2" AT SIDES 1/16" STITCHED-IN CREASE SNAPS ON UNDERSIDE OF FLAP (HAND SEWN OR DRESSMAKER SNAPS ARE NOT ACCEPTABLE). HORIZONTAL BUTTONHOLE 5/8" ABOVE POINT LINING: 100% DACRON - COLOR TO MATCH FABRIC </p> <p> COLLAR: CONVERTIBLE TYPE - POINTS APPROXIMATELY 3-1/2" LONG. TOP STITCHED LINING: BANANA LINED WITH MATCHING COLOR OF 100% SATIN POLYESTER. </p> <p> SLEEVES: ONE (1) PIECE LENGTH: 9-3/4" TO 10" HEM: 3.4" </p> <p> YOKE: TWO (2) PIECE - OUTSIDE TOP STITCHED SIZE: 3" DEEP (APPROXIMATELY" LINING: 100% POLYESTER SATIN INSIDE YOKE LINING SMALL BUTTONHOLES SET UNDER BUTTONS MATCHING SHOULDER STRAP BUTTONHOLES SHOULDER PROTECTION: A REINFORCEMENT OF SELF FABRIC 1" WIDE BY APPROXIMATELY 2-1/4" LONG AND STITCHED TO INSIDE YOKE TO PREVENT METAL BUTTON SHANK FROM PRESSING INTO SHOULDER. </p> <p> SHOULDER STRAP: SIZE: WIDTH: 2" AT SLEEVE HEAD, TAPERED TO 1-5/8" AT ENDS, GRADUATED TO 7/8" POINT. LENGTH: STRAP LENGTH CONFORMED TO SIZE OF SHIRT BUTTONS: ATTACHED TO YOKE TO MATCH SHOULDER STRAP BUTTONHOLES AT POINTED ENDS. STRAPS: TOP STITCHED TO YOKE FROM SHOULDER TO APPROXIMATELY CENTER OF STRAP IN "X" CROSS DESIGN. </p> <p> STITCHED CREASES: FRONT: 1/16" STITCHED-IN CREASES - ONE (1) CENTERED EACH SIDE FLAPS AND POCKETS: 1/16" STITCHED-IN CREASES MATCHING WITH SHIRT STITCHED IN CREASES. BACK: THREE (3) 1/16" STITCHED-IN CREASES - ONE IN CENTER OF BACK AND ONE IN BETWEEN CENTER STITCH AND SIDES. </p> <p> STITCHING: SLEEVE AND CLOSING OPERATIONS - OVER LOCK WITH SAFETY STITCH </p> <p> THREAD: SPUN POLYESTER </p> <p> CUTTING: DIE CUT COLLARS, POCKETS, FLAPS AND SHOULDER STRAPS TO </p>	

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 37

INSURE UNIFORMITY.

PRESSING FOLDING: PRESSED ON HOT HEAD MACHINES, FOLDED AND SECURED WITH JET CLIPS.

PACKING: PACKAGED IN POLY BAGS, THREE PER BOX.

LABELING: FABRIC LABELS PERMANENTLY AFFIXED TO INSIDE YOKE, STATE SIZE, LAUNDRY CARE.

LAUNDRY CARE: MACHINE WASH IN WARM WATER, DELICATE CYCLE, WASH DARKS SEPARATELY, USE ANY DETERGENT. DO NOT USE SOAP, BLEACH OR FABRIC SOFTENER. TUMBLE DRY, LOW HEAT AND REMOVE PROMPTLY, IF STEAM IRON, USE LOW SETTING. MAY BE DRY CLEANED.

WARRANTY: ONE (1) YEAR AGAINST WORKMANSHIP AND FABRIC DEFECTS.

SIZING: SUCCESSFUL VENDOR SHALL MAKE FULL CUT PATTERNS TO EXACT SIZE MEASUREMENTS OF GARMENT NOW IN USE. FAILURE TO PROPERLY DUPLICATE EXISTING DESIGN SHALL BE CAUSE FOR REJECTION:

MEN'S: NECK SIZES - 14 THROUGH 20 (SMALL, MEDIUM, LARGE NOT ACCEPTABLE.

LADIES: SIZE 30 THROUGH 48

APPARENT SUCCESSFUL BIDDER MUST PROVIDE A PRE-PRODUCTION SAMPLE FOR APPROVAL AND EVALUATION PRIOR TO COMMENCING WITH PRODUCTION.

*PATCHES: SHOULDER PATCHES PROVIDED TO VENDOR
VENDOR TO SEW ON SHIRT*

39

SPECIFICATIONS

LOUISIANA STATE POLICE NON-CLIP ON NECKTIES

DESIGN: NECKTIE, FOUR-IN-HAND, FRENCH CUFF ENDS, TROPICAL WEAVE, FABRIC TO BE 55% DACRON POLYESTER, 45% WOOL.

LENGTH: REGULAR-57", LONG-61"

WIDTH: WIDTH AT WIDEST POINT 3-1/2"

FABRIC: RAEFORD WORSTED WOOD BLEND, 55/45

COLOR: #604 ROYAL BLUE

WEIGHT: WEIGHT OF FABRIC 7 TO 7-1/2 OUNCES

PACKAGING: TIES SHALL BE PACKAGED ONE DOZEN PER BOX. EACH TIE SHALL BE SHIPPED WITH AN INDIVIDUAL CARDBOARD INSERT TO RETAIN SHAPE DURING SHIPPING.

40

SPECIFICATIONS

LOUISIANA STATE POLICE CLIP-ON NECKTIES - LONG & REGULAR

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05	BIDDER:	PAGE 38
	<p> <i>DESIGN: NECKTIE, FOUR-IN-HAND, FRENCH CUFF ENDS, PRE-TIED ON LARGE METAL BENDOVER CLIP, KNOT LOCK TACKED IN PLACE, TROPICAL BENGELENE WEAVE, FABRIC TO BE 55% DACRON POLYESTER, 45% WOOL</i> </p> <p> <i>LENGTH: FINISHED LENGTH FROM TOP OF KNOT TO TIP OF TIE TO BE: REGULAR LENGTH: 16-1/4" TO 16-3/4" LONG LENGTH: 19 INCHES</i> </p> <p> <i>WIDTH: WIDTH AT WIDEST POINT 3-1/2"</i> </p> <p> <i>FABRIC: RAEFORD WORSTED COMPANY - 970 RANGE</i> </p> <p> <i>COLOR: #604 ROYAL BLUE</i> </p> <p> <i>WEIGHT: WEIGHT OF FABRIC 7 TO 7-1/2 OUNCES</i> </p> <p> <i>LABEL: EACH TIE SHALL BEAR A LABEL STATING TO MANUFACTURER OF THE NECKTIE AND THE CONTENTS OF THE MATERIAL</i> </p> <p> <i>PACKAGING: TIES SHALL BE PACKAGED ONE DOZEN PER BOX. EACH TIE SHALL BE SHIPPED WITH AN INDIVIDUAL CARDBOARD INSERT TO RETAIN ITS SHAPE DURING SHIPPING.</i> </p> <p> 41 SPECIFICATIONS FOR ITEM #00033 </p> <p> <i>REQUIREMENTS: THE PRODUCTION OF THE BLOUSE SHALL BE FIRST CLASS IN EVERY RESPECT. ALL MATERIAL NECESSARY TO PRODUCE THE BLOUSE MUST BE FIRST QUALITY AND THE GARMENTS SHALL BE CLEAN, WELL FINISHED AND PRESSED.</i> </p> <p> <i>BLOUSES IN CUSTOM MADE TO MEASURE SIZES WILL BE REQUIRED. CUSTOM FIT BLOUSES ARE TO BE MADE TO INDIVIDUAL MEASUREMENTS AND FITTINGS. MEASUREMENTS ARE TO BE TAKEN AT LOUISIANA STATE POLICE HEADQUARTERS.</i> </p> <p> <i>FABRIC: WEAVE - GABARDINE WEIGHT - 12 OZ. PER LINEAR YARD FIBER CONTENT - 55% DACRON POLYESTER/45% WOOL PLY OF YARN - 2 PLY WARP AND FILLING TENSILE - 150 LBS. IN WARP MINIMUM/80 LBS. IN FILLING MINIMUM CONSTRUCTION - 112 ENDS PER INCH/55 PICKS PER INCH</i> </p> <p> <i>BLOUSE FABRICATION:</i> </p> <ul style="list-style-type: none"> <i>* MATERIALS - RAEFORD FABRIC, STYLE NO. 521-604, ROYAL BLUE 55% DACRON/POLYESTER AND 45% WOOL, 2 PLY GABARDINE. LONDON COLD WATER SHRUNK.</i> <i>* STYLE - FIVE (5) BUTTON FRONT, NO BUTTONS ON CUFF, SINGLE BREASTED, CHOKER COLLAR, CUT SNUG AT WAIST, FLARE IN SKIRT (SAM BROWNE BELT WILL BE WORN), DOUBLE BI-SWING BACK, REAR VENT</i> <i>* COLLAR - CHOKER COLLAR. THE NECK SHALL BE SECURED WITH A HIDDEN SNAP, REINFORCED WITH BUCKRAM AND LINED WITH SATIN AGAINST THE NECK.</i> <p> <i>POCKETS: BLOUSE SHALL HAVE TWO UPPER OUTSIDE BREAST POCKETS WITH PLEATS AND</i> </p>	

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	BIDDER:	PAGE 39
<p>SCALLOPED FLAPS. THE CORNERS OF THE POCKETS SHALL BE SLIGHTLY ROUNDED. THE PLEAT IN EACH POCKET SHALL BE 1-1/2" WIDE. THE BLOUSE SHALL ALSO HAVE TWO (2) LOWER SCALLOPED FLAPS ONLY, NO ACTUAL POCKET WILL BE UNDER THE POCKET FLAP. THE BLOUSE SHALL ALSO BE CONSTRUCTED WITH TWO (2) INSIDE BREAST POCKETS. THE POCKETS SHALL BE 5-3/4" WIDE BY 6 INCHES DEEP. THE POCKET OPENING SHALL BE NEATLY PIPED. DIMENSIONS FOR BREAST AND LOWER POCKETS SHALL BE SCALED IN ACCORDANCE WITH GARMENT SIZE AND LENGTH. ALL FOUR (4) POCKETS WILL ACCOMMODATE A 24-LIGNE STATE OF LOUISIANA BUTTON. THE BREAST POCKET FLAP WILL HAVE EDGE CORD MADE OF PAGO FABRICS OR APPROVED EQUAL, POLYLIN GOLD #1006, 100% POLYESTER POPLIN WEAVE.</p> <p>BACK: SHALL BE CONSTRUCTED WITH A RESILIENT TRUE DOUBLE BI-SWING TO FACILITATE MOVEMENT. THE OPENING OF BOTH THE INTERIOR AND EXTERIOR BI-SWING SHALL START 1-1/2" BELOW EPAULET SEAM AND EXTEND 1-1/2" ABOVE WAISTBAND. THERE SHALL BE THE PLACEMENT OF A 1-1/2" ELASTIC STRAP INSIDE THE LINING TO PROVIDE A TRUE BI-SWING.</p> <p>VENT: ONE (1)</p> <p>LINING: FULL LINING OF POLYESTER TWILL FABRIC, BLACK IN COLOR. FRONT INNERCLOTH SHALL BE THE BEST GRADE ON NONWOVEN FUSIBLE PELLON. CHEST AND SHOULDER OF COAT TO BE PADDED WITH HYMO HAIRCLOTH AND FELT, TO BE SEWN WITH TWO (2) ROWS OF BLINDSTITCH INCLUDING ONE-INCH WOVEN BRIDLE TAPE. THE BACK OF THE BLOUSE IS TO BE CONSTRUCTED WITH A BI-SWING THAT IS CONNECTED WITH A ONE-INCH ELASTIC STRAP.</p> <p>SLEEVE: THE LINING SHALL BE THE SAME AS THE BODY LINING. A LOUISIANA STATE POLICE EMBLEM SHALL BE SEWN ON BOTH SLEEVES ONE-INCH BELOW SHOULDER SEAM. EMBLEM SAMPLE SHALL BE SUPPLIED BY THE AGENCY. THERE SHALL BE A DOUBLE EDGE CORD SLEEVE STRIPE OF PAGO FABRICS OR APPROVED EQUAL, POLYLIN GOLD #1006, 100% POLYESTER POPLIN WEAVE ON EACH EDGE OF A 1-1/8" STRIPE OF RAEFORD 521-604. NO BUTTONS ON CUFF.</p> <p>EMBLEM: SHALL BE THE SAME DESIGN AS THE LOUISIANA STATE POLICE EMBLEMS, THE BACKGROUND FABRIC OF THE EMBLEM WILL BE MADE FORM RAEFORC 521-604, ROYAL BLUE , 12 OZ., 55% DACRON/POLYESTER AND 45% WOOL, 2 PLY GABARDINE.</p> <p>EPAULETS: SHALL BE 2-1/4" WIDE AT SHOULDER SEAM AND TAPERED TO 1-1/2". EACH EPAULET SHALL BE BOX STITCHED AND BUTTON NEAR THE COLLAR WITH A 24-LIGNE STATE OF LOUISIANA BUTTONS. THE EPAULETS SHALL BE PIPED IN PAGO FABRICS OR APPROVED EQUAL, POLYLIN GOLD #1006, 100% POLYESTER POPLIN WEAVE.</p> <p>SEAMS: OUTSIDE BODY SEAMS SHALL BE PLAIN. SHOULDER SEAMS SHALL BE STAYED AROUND ARMHOLE WITH TAPE FROM BACK NOTCH TO FRONT NOTCH.</p> <p>OUTLETS: SIDE SEAMS - 3/4" EACH SIDE; 3/4" IN UNDERSEAM. THE TURNUP AT THE BOTTOM OF THE CUFF SHALL BE NO LESS THAN 2-1/2". THE TURNUP AT THE BOTTOM OF THE COAT SHALL BE NO LESS THAN 1-1/4".</p> <p>BUTTONS: FRONT CLOSURE: FIVE (5) 36-LIGNE, STATE OF LOUISIANA POLICE BUTTONS. POCKET FLAPS AND EPAULETS: SIX (6) 24-LIGNE, STATE OF LOUISIANA POLICE BUTTONS, WATERBURY BUTTON COMPANY OR APPROVED EQUAL. ALL BUTTONS SHALL BE FLAT STYLE AND STABRITE.</p>		

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:	PAGE 40
<p>BUTTONHOLES: SHALL BE A CUT FIRST OR AFTER TYPE, POSITIONED 1/2" FROM EDGE OF COAT AND FINISHED WITH SEPARATE BARTACKS.</p> <p>BELT HOOKS: FRONT AND REAR.</p> <p>SHOULDER PADS: SHALL BE 1/2" THICK NEEDLE PUNCH TYPE WITH 100% COTTON PADDING FILL.</p> <p>SEWING THREADS: ALL SEWING THREADS SHALL BE THE BEST QUALITY NYLON, COTTON POLYESTER AND BLENDS OF POLYESTER AND COTTON AS IS APPLICABLE TO SPECIFIC SEAMS. MANUFACTURER SHALL CERTIFY THAT THE SEAMS, SEWING THREADS, TENSILE STRENGTH ELONGATION AND NUMBER OF STITCHES PER INCH WILL WITHSTAND THE STRESSES EXERTED IN THE PERFORMANCE OF THE NORMAL DUTIES OF A LAW ENFORCEMENT OFFICER.</p> <p>TOP AND EDGE STITCHING: UNIFORM 1/4" DOUBLE STITCHING SHALL BE USED ON ALL FLAPS, EPAULETS, UPPER POCKETS, LAPEL, BELTS AND AT HEM OF BLOUSE.</p> <p>CUTTING: GARMENTS ARE TO BE CUT FROM COMPUTERIZED PATTERNS UTILIZING A LECTRA OR GERBER COMPUTERIZED CUTTING SYSTEMS. THIS MODERN EQUIPMENT PROVIDES AND INSURES THE PRODUCTION OF EXTREMELY PRECISE PATTERNS AS WELL AS PROPERLY ALIGNED SEAMS FOR FUTURE ALTERATIONS. IN ADDITION TO ENHANCING TAILORING OF FINELY PROPORTIONED PATTERNS FOR MAXIMUM GARMENT DRAPING QUALITIES AND CONSISTENT SIZING, THIS EQUIPMENT MAKES POSSIBLE THE PRODUCTION OF A COMPLETE SET OF INDIVIDUAL CUSTOMIZED PATTERNS FURTHER ASSURING CONTINUITY IN VISUAL EFFECT.</p> <p>FITTING: ALL UNIFORM GARMENTS SHALL BE CUSTOM MADE TO THE MEASUREMENTS TAKEN OF THE INDIVIDUAL. ALL MEASUREMENTS SHALL BE TAKEN IN THE PRESENCE OF AN OFFICIAL DESIGNATED BY THE LOUISIANA STATE POLICE. THIS OFFICIAL SHALL ALSO BE PRESENT AT THE TRY-ON IN THE BASTE; SHALL APPROVE ALTERATIONS AND ACCEPTANCE OF THE FINISHED PRODUCT. MEASUREMENTS SHALL BE RECORDED AND THE LOUISIANA STATE POLICE REPRESENTATIVE SHALL RETAIN ONE (1) COPY UNTIL ACCEPTANCE OF THE FINAL GARMENT IS APPROVED, AT WHICH TIME IT WILL BE SURRENDERED UPON DEMAND BY THE CONTRACTOR. ACCEPTANCE OR REJECTION OF THE GARMENTS SHALL BE AT THE DISCRETION OF THE ABOVE DESIGNATED OFFICIAL. ONE (1) TRY-ON IN THE BASTE IS REQUIRED AND ONE (1) ALTERATION PERMITTED. IF THE UNIFORM IS JUDGED TO BE UNACCEPTABLE AFTER ONE (1) ALTERATION, IT WILL BE REJECTED AND A NEW GARMENT SHALL BE PRODUCED. A REJECTED UNIFORM MAY NOT BE ACCEPTED AFTER ALTERATION FOR ANY OTHER INDIVIDUAL.</p> <p>COLOR: THE COLOR SHALL BE RAEFORD SHADE 604 (ROYAL BLUE) THE COLOR SHALL BE OBTAINED BY THE PIECE DYE PROCESS.</p> <p>STANDARDS: COLOR FASTNESS (CARBON - ARC TYPE FADOMETER):</p> <ul style="list-style-type: none"> * TO LIGHT: 20 HOURS, NO APPRECIABLE CHANGE IN SHADE OF COLOR. * TO DRY CLEANING, PERSPIRATION AND CROCKING: MUST MEET COMMERCIALY ACCEPTABLE MINIMUM STANDARDS ACCORDING TO THE A.A.T.C.C. TEST METHODS (132-1976, 15-1976), CLASS 4 TRANSFERENCE OF OR ALTERATION IN COLOR AFTER DRY CLEANING; PERSPIRATION ACID AND ALKELINE; AS WELL AS WET AND DRY CROCKING TESTS. 			

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 T-NUMBER : DPS05	TIME: 10:00 AM	BIDDER:	PAGE 41

THE RESIDUAL SIZING, FINISH, PROTEIN OR OTHER NON-FIBROUS MATERIAL, INCLUDING CHLOROFORM SOLUBLE AND WATER-SOLUBLE MATERIAL, SHALL NOT EXCEED 2%.

FABRIC ABRASION: MUST MEET COMMERCIALY ACCEPTABLE RATINGS.

CERTIFICATION: VENDOR SHALL BE RESPONSIBLE FOR ALL REQUIREMENTS, SPECIFICATIONS AND STANDARDS AND SHALL CERTIFY COMPLIANCE WITH ALL OF THE ABOVE. ALL BLOUSES SHALL BE PROPERLY SIZED AND DELIVERED CLEAN AND WELL PRESSED.

LABELING: ALL COATS ARE TO BE CUSTOM MADE FOR EACH INDIVIDUAL OFFICER, TO BE PRODUCED AND FILED IN CAD COMPUTER SYSTEM (COMPUTER AIDED DESIGN). ALL COATS ARE TO HAVE A CARE LABEL PERMANENTLY AFFIXED, WITH THE DEPARTMENT NAME, OFFICER'S NAME, MANUFACTURER'S NAME, SPECIFICATION, SIZE, DATE OF MANUFACTURE ALSO TO HAVE A TRACKING CODE (BAR CODE), WHICH CORRESPONDS TO THE PACKING SLIP AND INVOICE NUMBER.

ADDITIONS: THERE SHALL BE SELF-GOODS BADGE HOLDER SEWN ABOVE THE LEFT BREAST POCKET, 2" LONG AND 1" WIDE, WITH TWO (2) BRASS EYELETS AND SEWN ALL THE WAY AROUND.

42

SPECIFICATIONS FOR ITEM #00034

REQUIREMENTS:

THE PRODUCTION OF THE BLOUSE SHALL BE FIRST CLASS IN EVERY RESPECT. ALL MATERIAL NECESSARY TO PRODUCE THE BLOUSE MUST BE FIRST QUALITY AND THE GARMENTS SHALL BE CLEAN, WELL FINISHED AND PRESSED.

BLOUSES IN CUSTOM MADE TO MEASURE SIZES WILL BE REQUIRED. CUSTOM FIT BLOUSES ARE TO BE MADE TO INDIVIDUAL MEASUREMENTS AND FITTINGS. MEASUREMENTS ARE TO BE TAKEN AT LOUISIANA STATE POLICE HEADQUARTERS.

FABRIC:

WEAVE - GABARDINE

WEIGHT - 12 OZ. PER LINEAR YARD

FIBER CONTENT - 55% DACRON POLYESTER/45% WOOL

PLY OF YARN - 2 PLY WARP AND FILLING

TENSILE STRENGTH - 150 LBS. IN WARP MINIMUM/80 LBS. IN FILLING MINIMUM
CONSTRUCTION - 112 ENDS PER INCH/55 PICKS PER INCH

BLOUSE FABRICATION:

* MATERIALS - RAEFORD 521-604, BLUE #604
12 OZ., 55% DACRON/POLYESTER AND 45% WOOL, 2 PLY GABARDINE. LONDON COLD WATER SHRUNK.

* STYLE: FOUR (4) BUTTON FRONT, NO BUTTONS ON CUFF, SINGLE BREASTED, NOTCHED LAPEL STYLE COLLAR, CUT SNUG AT WAIST, FLARE IN SKIT (SAME BROWNE BELT WILL BE WORN), DOUBLE BI-SWING BACK.

* COLLAR: NOTCHED LAPEL STYLE COLLAR.

POCKETS:

BLOUSE SHALL HAVE TWO (2) UPPER OUTSIDE BREAST POCKETS WITH PLEATS AND SCALLOPED FLAPS. THE CORNERS OF THE POCKETS SHALL BE SLIGHTLY

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05	BIDDER:	PAGE 42
	<p> ROUNDED. THE PLEAT IN EACH POCKET SHALL BE 1-1/2" WIDE. THE BLOUSE SHALL ALSO HAVE TWO (2) LOWER SCALLOPED FLAPS ONLY, THERE SHALL BE NO ACTUAL POCKET UNDER THE FLAP. THE BLOUSE SHALL ALSO BE CONSTRUCTED WITH TWO (2) INSIDE BREAST POCKETS. THE POCKETS SHALL BE 5-3/4" WIDE BY 6 INCHES DEEP. THE POCKET OPENING SHALL BE NEATLY PIPED. DIMENSIONS FOR BREAST AND LOWER POCKETS SHALL BE SCALED IN ACCORDANCE WITH GARMENT SIZE AND LENGTH. ALL FOUR (4) POCKETS WILL ACCOMMODATE A REMOVABLE 24-LIGNE STATE OF LOUISIANA BUTTON. BREAST POCKET FLAPS WILL HAVE EDGE CORD PIPING OF PAGO FABRICS OR APPROVED EQUAL, POLYLIN GOLD #1006, 100% POLYESTER POPLIN WEAVE. </p> <p> BACK: SHALL BE CONSTRUCTED WITH A RESILIENT TRUE DOUBLE BI-SWING TO FACILITATE MOVEMENT. THE OPENING OF BOTH THE INTERIOR AND EXTERIOR BI-SWING SHALL START 1-1/2" BELOW EPAULET SEAM AND EXTEND 1-1/2" ABOVE WAISTBAND. THERE SHALL BE THE PLACEMENT OF A 1-1/2" ELASTIC STRAP INSIDE THE LINING TO PROVIDE A TRUE BI-SWING. </p> <p> VENT: NONE </p> <p> LINING: FULL LINING OF POLYESTER TWILL FABRIC, BLACK IN COLOR. FRONT INNERCLOTH SHALL BE BEST GRADE ON NONWOVEN FUSIBLE PELLON. CHEST AND SHOULDER OF COAT TO BE PADDED WITH HYMO HAIRCLOTH AND FELT, TO BE SEWN WITH TWO (2) ROWS OF BLINDSTITCH INCLUDING ONE (1) INCH WOVEN BRIDLE TAPE. THE BACK OF THE BLOUSE IS TO BE CONSTRUCTED WITH A BI-SWING THAT IS CONNECTED WITH A ONE-INCH ELASTIC STRAP. </p> <p> SLEEVE: THE LINING SHALL BE THE SAME AS THE BODY LINING. A LOUISIANA STATE POLICE EMBLEM SHALL BE SEWN ON BOTH SLEEVES ONE-INCH BELOW SHOULDER SEAM. EMBLEMS SAMPLE SHALL BE SUPPLIED BY THE AGENCY. THERE SHALL BE DOUBLE EDGE CORD PIPING OF PAGO FABRICS OR APPROVED EQUAL, POLYIN #1006 GOLD, 100% POLYESTER POPLIN WEAVE ON EACH SIDE OF 1-1/8" STRIP OF RAEFORD 521-604 ON SLEEVE CUFFS. NO BUTTONS ON CUFF. </p> <p> EMBLEMS: SHALL BE THE SAME DESIGN AS THE LOUISIANA STATE POLICE EMBLEMS, THE BACKGROUND FABRIC OF THE EMBLEM WILL BE MADE FROM RAEFORD 521-604 BLUE, 12 OZ., 55% DACRON/POLYESTER AND 45% WOOL, 2 PLY GABARDINE. </p> <p> EPAULETS: SHALL BE 2-1/4" WIDE AT SHOULDER SEAM AND TAPERED TO 1-1/2" 1-1/2", AND THE POINT EXTENDING WELL UNDER THE COLLAR. EACH EPAULET SHALL BE BOX STITCHED AND BUTTON NEAR THE COLLAR WITH A 24-LIGNE STATE OF LOUISIANA BUTTONS. THE EPAULETS SHALL BE PIPED IN PAGO FABRICS OR APPROVED EQUAL, POLYLIN #1006 GOLD, 100% POLYESTER POPLIN WEAVE. </p> <p> SEAMS: OUTSIDE BODY SEAMS SHALL BE PLAIN. SHOULDER SEAMS SHALL BE STAYED AROUND ARMHOLE WITH TAPE FROM BACK NOTCH TO FRONT NOTCH. </p> <p> OUTLETS: SIDE SEAMS - 3/4" EACH SIDE, 3/4" IN UNDERSEAM. THE TURNUP AT THE BOTTOM OF THE COAT SHALL BE NO LESS THAN 1-1/4". </p> <p> BUTTONS: FRONT CLOSURE: FIVE (5), 36-LIGNE, STATE OF LOUISIANA BUTTONS. POCKET FLAPS AND EPAULETS: SIX (6) 24-LIGNE, STATE OF LOUISIANA BUTTONS, WATERBURY BUTTON COMPANY OR APPROVED EQUAL. ALL BUTTONS SHALL BE FLAT STYLE. </p> <p> BUTTONHOLES: SHALL BE A CUT FIRST OR AFTER TYPE, POSITIONED 1/2" </p>	

SPECIFICATIONS		INVITATION TO BID	
NUMBER : 2207884 OPEN DATE: 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:	PAGE 43
<p>FROM EDGE OF COAT AND FINISHED WITH SEPARATE BARTACKS.</p> <p>BELT HOOKS: FRONT AND REAR HOOKS.</p> <p>SHOULDER PADS: SHALL BE 1/2" THICK NEEDLE PUNCH TYPE WITH 100% COTTON PADDING FILL.</p> <p>SEWING THREADS: ALL SEWING THREADS SHALL BE THE BEST QUALITY NYLON, COTTON POLYESTER AND BLENDS OF POLYESTER AND COTTON AS IS APPLICABLE TO SPECIFIC SEAMS. MANUFACTURER SHALL CERTIFY THAT THE SEAMS, SEWING THREADS, TENSILE STRENGTH ELONGATION AND NUMBER OF STITCHES PER INCH WILL WITHSTAND THE STRESSES EXERTED IN THE PERFORMANCE OF THE NORMAL DUTIES OF A LAW ENFORCEMENT OFFICER.</p> <p>TOP AND EDGE STITCHING: UNIFORM 1/4" DOUBLE STITCHING SHALL BE USED ON ALL FLAPS, EPAULETS, UPPER POCKETS, LAPEL. BELTS AND AT HEM OF BLOUSE.</p> <p>CUTTING: GARMENTS ARE TO BE CUT FROM COMPUTERIZED PATTERNS UTILIZING A LECTRA OR BERBER COMPUTERIZED CUTTING SYSTEMS. THIS MODERN EQUIPMENT PROVIDES AND INSURES THE PRODUCTION OF EXTREMELY PRECISE PATTERNS AS WELL AS PROPERLY ALIGNED SEAMS FOR FUTURE ALTERATIONS. IN ADDITION TO ENHANCING TAILORING OF FINELY PROPORTIONED PATTERNS FOR MAXIMUM GARMENT DRAPING QUALITIES AND CONSISTENT SIZING, THIS EQUIPMENT MAKES POSSIBLE THE PRODUCTION OF A COMPLETE SET OF INDIVIDUAL CUSTOMIZED PATTERNS FURTHER ASSURING CONTINUITY IN VISUAL EFFECT.</p> <p>FITTING: ALL UNIFORM GARMENTS SHALL BE CUSTOM MADE TO THE MEASUREMENTS TAKEN OF THE INDIVIDUAL. ALL MEASUREMENTS SHALL BE TAKEN IN THE PRESENCE OF AN OFFICIAL DESIGNATED BY THE LOUISIANA STATE POLICE. THIS OFFICIAL SHALL ALSO BE PRESENT AT THE TRY-ON IN THE BASTE; SHALL APPROVE ALTERATIONS AND ACCEPTANCE OF THE FINISHED PRODUCT. MEASUREMENTS SHALL BE RECORDED AND THE LOUISIANA STATE POLICE REPRESENTATIVE SHALL RETAIN ONE (1) COPY UNTIL ACCEPTANCE OF THE FINAL GARMENT IS APPROVED, AT WHICH TIME IT WILL BE SURRENDERED UPON DEMAND BY THE CONTRACTOR. ACCEPTANCE OR REJECTION OF THE GARMENTS SHALL BE AT THE DISCRETION OF THE ABOVE DESIGNATED OFFICIAL. ONE (1) TRY-ON IN THE BASTE IS REQUIRED AND ONE (1) ALTERATION PERMITTED. IF THE UNIFORM IS JUDGED TO BE UNACCEPTABLE AFTER ONE (1) ALTERATION, IT WILL BE REJECTED AND A NEW GARMENT SHALL BE PRODUCED. A REJECTED UNIFORM MAY NOT BE ACCEPTED AFTER ALTERATION FOR ANY OTHER INDIVIDUAL.</p> <p>COLOR: THE COLOR SHALL BE RAEFORD SHADE 604 (ROYAL BLUE) THE COLOR SHALL BE OBTAINED BY THE PIECE DYE PROCESS.</p> <p>STANDARDS: COLOR FASTNESS (CARBON - ARC TYPE FADOMETER):</p> <ul style="list-style-type: none"> * TO LIGHT: 20 HOURS, NO APPRECIABLE CHANGE IN SHADE OF COLOR. * TO DRY CLEANING, PERSPIRATION AND CROCKING: MUST MEET COMMERCIALY ACCEPTABLE MINIMUM STANDARDS ACCORDING TO THE A.A.T.C.C. TEST METHODS (132-1976, 15-1976), CLASS 4 TRANSFERENCE OF OR ALTERATION IN COLOR AFTER DRY CLEANING; PERSPIRATION ACID AND ALKELINE; AS WELL AS WET AND DRY CROCKING TESTS. <p>THE RESIDUAL SIZING, FINISH, PROTEIN OR OTHER ON-FIBROUS MATERIAL, INCLUDING CHLOROFORM SOLUBLE AND WATER-SOLUBLE MATERIAL, SHALL NOT</p>			

PRICE SHEET		INVITATION TO BID			
NUMBER : 2207884 OPEN DATE : 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:			PAGE 45
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00001	<p>UNLESS SPECIFIED ELSEWHERE SHIP TO: PUBLIC SAFETY SERVICES OFFICE OF STATE POLICE POLICE SUPPLY - BOX 23 290 E. AIRPORT, STE 105 BATON ROUGE , LA 70806</p> <p>COMMODITY CODE: 200-75-114905</p> <p>TO ESTABLISH CONTRACT TO FURNISH LOUISIANA STATE POLICE AND DPS UNIFORMS FOR A PERIOD BEGINNING JULY 01, 2006 AND ENDING JUNE 30, 2007, IN ACCORDANCE WITH TERMS, CONDITIONS, AND SPECIFICATIONS SET FORTH HEREIN.</p> <p>PUBLIC SAFETY SERVICES ARE TO ISSUE CONTRACT RELEASE ORDERS AS NEEDED AND IN THE QUANTITIES NEEDED. NO GUARANTEE OF MINIMUM ORDER QUANTITY IS MADE.</p> <p>LOUISIANA STATE POLICE & DPS UNIFORM TROUSERS, CLASS "A", MEN, SEE THE ATTACHED SPECIFICATIONS. SIZES: 28 THROUGH 44</p> <p>SPECIFY BRAND (& NUMBER IF APPLICABLE)</p>	1000	EACH		
00002	<p>COMMODITY CODE: 200-75-114905</p> <p>LOUISIANA STATE POLICE & DPS, UNIFORM TROUSERS, CLASS "A", MEN, SEE THE ATTACHED SPECIFICATIONS. SIZES: 46 THROUGH 56 AND SPECIAL ORDERS</p> <p>SPECIFY BRAND (& NUMBER IF APPLICABLE)</p>	20	EACH		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2207884 OPEN DATE : 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:			PAGE 46
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00003	COMMODITY CODE: 200-75-114904 LOUISIANA STATE POLICE & DPS, UNIFORM TROUSERS, CLASS "A", LADIES, SEE THE ATTACHED SPECIFICATIONS. SIZES: 6 THROUGH 24 SPECIFY BRAND (& NUMBER IF APPLICABLE)	100	EACH		
00004	COMMODITY CODE: 200-75-114904 LOUISIANA STATE POLICE & DPS, UNIFORM TROUSERS, CLASS "A", LADIES, SEE THE ATTACHED SPECIFICATIONS. SIZES: 4, 26, 28 AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE)	10	EACH		
00005	COMMODITY CODE: 200-75-114909 LOUISIANA STATE POLICE, UNIFORM LONG SLEEVE SHIRTS, BLUE, CLASS "A", MEN, SEE THE ATTACHED SPECIFICATIONS. SIZES: 14-1/2 - 17-1/2 WHOLE AND HALF, 18-1/2 AND 19-1/2 SPECIFY BRAND (& NUMBER IF APPLICABLE)	1000	EACH		
00006	COMMODITY CODE: 200-75-114909	50	EACH		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2207884 OPEN DATE : 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:			PAGE 47
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	LOUISIANA STATE POLICE, UNIFORM LONG SLEEVE SHIRTS, BLUE, CLASS "A", MEN, SEE THE ATTACHED SPECIFICATIONS. SIZES: 20-1/2, 21-1/2 AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE)				
00007	COMMODITY CODE: 200-75-114907 LOUISIANA STATE POLICE, UNIFORM SHORT SLEEVE SHIRTS, BLUE, CLASS "A", MEN SEE THE ATTACHED SPECIFICATIONS. SIZES: 14-1/2 - 17-1/2 WHOLE AND HALF, 18-1/2 AND 19-1/2 SPECIFY BRAND (& NUMBER IF APPLICABLE)	1000	EACH		
00008	COMMODITY CODE: 200-75-114907 LOUISIANA STATE POLICE, UNIFORM SHORT SLEEVE SHIRTS, BLUE, CLASS "A", MEN SEE THE ATTACHED SPECIFICATIONS. SIZES: 20-1/2, 21-1/2 AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE)	20	EACH		
00009	COMMODITY CODE: 200-75-114908 LOUISIANA STATE POLICE, UNIFORM LONG SLEEVE SHIRTS, BLUE, CLASS "A", LADIES SEE THE ATTACHED SPECIFICATIONS. SIZES: 32 THROUGH 46	50	EACH		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2207884 OPEN DATE : 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:			PAGE 48
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	_____ _____ SPECIFY BRAND (& NUMBER IF APPLICABLE) _____				
00010	COMMODITY CODE: 200-75-114908 LOUISIANA STATE POLICE, UNIFORM LONG SLEEVE SHIRTS, BLUE, CLASS "A", LADIES SEE THE ATTACHED SPECIFICATIONS. SIZES: 30, 48, 50 AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	20	EACH	_____	_____
00011	COMMODITY CODE: 200-75-114906 LOUISIANA STATE POLICE, UNIFORM SHORT SLEEVE SHIRTS, BLUE, CLASS "A", LADIES SEE THE ATTACHED SPECIFICATIONS. SIZES: 32 THROUGH 46 SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	50	EACH	_____	_____
00012	COMMODITY CODE: 200-75-114907 LOUISIANA STATE POLICE, UNIFORM SHORT SLEEVE SHIRTS, BLUE, CLASS "A", LADIES SEE THE ATTACHED SPECIFICATIONS. SIZES: 30, 48, 50 AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE)	20	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2207884 OPEN DATE : 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:			PAGE 49
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00013	COMMODITY CODE: 200-75-114911 LOUISIANA STATE POLICE & DPS, UNIFORM TROUSERS, CLASS "B", MEN'S, SEE THE ATTACHED SPECIFICATIONS. SIZES: 28 THROUGH 44, SHORT, REGULAR, LONG AND X-LONG SPECIFY BRAND (& NUMBER IF APPLICABLE)	1000	EACH		
00014	COMMODITY CODE: 200-75-114911 LOUISIANA STATE POLICE & DPS, UNIFORM TROUSERS, CLASS "B", MEN'S, SEE THE ATTACHED SPECIFICATIONS. SIZES: 46 - 56 AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE)	150	EACH		
00015	COMMODITY CODE: 200-75-114910 LOUISIANA STATE POLICE & DPS, UNIFORM TROUSERS, CLASS "B", LADIES, SEE THE ATTACHED SPECIFICATIONS. SIZES: 6 THROUGH 24 SPECIFY BRAND (& NUMBER IF APPLICABLE)	25	EACH		
00016	COMMODITY CODE: 200-75-114910	10	EACH		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2207884 OPEN DATE : 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:			PAGE 50
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	LOUISIANA STATE POLICE & DPS, UNIFORM TROUSERS, CLASS "B", LADIES, SEE THE ATTACHED SPECIFICATIONS. SIZES: 4, 26, 28 AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE)				
00017	COMMODITY CODE: 200-75-114913 LOUISIANA STATE POLICE UNIFORM SHORT SLEEVE SHIRTS, BLUE, CLASS "B", MEN'S SEE THE ATTACHED SPECIFICATIONS. SIZES: 14-1/2 - 17-1/2 WHOLE AND HALF 18-1/2 AND 19-1/2 SPECIFY BRAND (& NUMBER IF APPLICABLE)	500	EACH		
00018	COMMODITY CODE: 200-75-114913 LOUISIANA STATE POLICE UNIFORM SHORT SLEEVE SHIRTS, BLUE, CLASS "B", MEN'S SEE THE ATTACHED SPECIFICATIONS. SIZES: 20-1/2, 21-1/2 AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE)	50	EACH		
00019	COMMODITY CODE: 200-75-114912 LOUISIANA STATE POLICE UNIFORM SHORT SLEEVE SHIRTS, BLUE, CLASS "B", LADIES SEE THE ATTACHED SPECIFICATIONS. SIZES: 32 THROUGH 46	50	EACH		

PRICE SHEET		INVITATION TO BID			
NUMBER : 2207884 OPEN DATE : 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:			PAGE 51
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	SPECIFY BRAND (& NUMBER IF APPLICABLE) _____ _____				
00020	COMMODITY CODE: 200-75-114912 LOUISIANA STATE POLICE UNIFORM SHORT SLEEVE SHIRTS, BLUE, CLASS "B", LADIES SEE THE ATTACHED SPECIFICATIONS. SIZES: 30, 48, 50 AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	10	EACH	_____	_____
00021	COMMODITY CODE: 200-03-114917 LOUISIANA STATE POLICE UNIFORM NECKTIE. NON CLIP-ON. SIZE REGULAR. FABRIC: RAEFORD #604 (ROYAL BLUE) 55/45 WIDTH: 3-1/2" LENGTH: 57" FOUR-IN-HAND TYPE: FRENCH ENDS SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	500	EACH	_____	_____
00022	COMMODITY CODE: 200-03-114917 LOUISIANA STATE POLICE UNIFORM NECKTIE. NON CLIP-ON. SIZE REGULAR. FABRIC: RAEFORD #604 (ROYAL BLUE) 55/45 WIDTH: 3-1/2" LENGTH: 61" FOUR-IN-HAND TYPE: FRENCH ENDS SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	500	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2207884 OPEN DATE : 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:			PAGE 52
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00023	COMMODITY CODE: 200-75-114909 LOUISIANA DEPT. OF PUBLIC SAFETY POLICE UNIFORM LONG SLEEVE SHIRTS, LT. GRAY, CLASS "A", MEN, SEE THE ATTACHED SPECIFICATIONS. SIZES: 14-1/2 - 17-1/2 WHOLE AND HALF, 18-1/2 AND 19-1/2 SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	300	EACH	_____	_____
00024	COMMODITY CODE: 200-75-114909 LOUISIANA DEPT. OF PUBLIC SAFETY POLICE UNIFORM LONG SLEEVE SHIRTS, LT. GRAY, CLASS "A", MEN, SEE THE ATTACHED SPECIFICATIONS. SIZES: 20-1/2,21-1/2, AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	50	EACH	_____	_____
00025	COMMODITY CODE: 200-75-114909 LOUISIANA DEPT. OF PUBLIC SAFETY POLICE UNIFORM SHORT SLEEVE SHIRTS, LT. GRAY, CLASS "A", MEN, SEE THE ATTACHED SPECIFICATIONS. SIZES: 14-1/2 - 17-1/2 WHOLE AND HALF, 18-1/2 AND 19-1/2 SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	300	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2207884 OPEN DATE : 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:			PAGE 53
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00026	COMMODITY CODE: 200-75-114909 LOUISIANA DEPT. OF PUBLIC SAFETY POLICE UNIFORM SHORT SLEEVE SHIRTS, LT. GRAY, CLASS "A", MEN, SEE THE ATTACHED SPECIFICATIONS. SIZES: 20-1/2,21-1/2, AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	50	EACH	_____	_____
00027	COMMODITY CODE: 200-75-114909 LOUISIANA DEPT. OF PUBLIC SAFETY POLICE UNIFORM LONG SLEEVE SHIRTS, LT. GRAY, CLASS "A", LADIES, SEE THE ATTACHED SPECIFICATIONS. SIZES: 32 THROUGH 46 SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	50	EACH	_____	_____
00028	COMMODITY CODE: 200-75-114909 LOUISIANA DEPT. OF PUBLIC SAFETY POLICE UNIFORM LONG SLEEVE SHIRTS, LT. GRAY, CLASS "A", LADIES, SEE THE ATTACHED SPECIFICATIONS. SIZES: 30, 48, 50 AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	20	EACH	_____	_____
00029	COMMODITY CODE: 200-75-114909	50	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2207884 OPEN DATE : 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:			PAGE 54
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
00030	LOUISIANA DEPT. OF PUBLIC SAFETY POLICE UNIFORM SHORT SLEEVE SHIRTS, LT. GRAY, CLASS "A", LADIES, SEE THE ATTACHED SPECIFICATIONS. SIZES: 32 THROUGH 46 SPECIFY BRAND (& NUMBER IF APPLICABLE) _____ COMMODITY CODE: 200-75-114909 LOUISIANA DEPT. OF PUBLIC SAFETY POLICE UNIFORM SHORT SLEEVE SHIRTS, LT. GRAY, CLASS "A", LADIES, SEE THE ATTACHED SPECIFICATIONS. SIZES: 30, 48, 50, AND SPECIAL ORDERS SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	20	EACH	_____	_____
00031	COMMODITY CODE: 200-03-114917 LOUISIANA STATE POLICE UNIFORM NECKTIE, CLIP-ON. SIZE: LONG SEE ATTACHED SPECIFICATIONS SPECIFY BRAND (& NUMBER IF APPLICABLE) _____	150	EACH	_____	_____
00032	COMMODITY CODE: 200-03-114917 LOUISIANA STATE POLICE UNIFORM NECKTIE, CLIP-ON. SIZE: REGULAR SEE ATTACHED SPECIFICATIONS	150	EACH	_____	_____

PRICE SHEET		INVITATION TO BID			
NUMBER : 2207884 OPEN DATE : 06/06/06 TIME: 10:00 AM T-NUMBER : DPS05		BIDDER:			PAGE 55
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
	<div>SPECIFY BRAND (& NUMBER IF APPLICABLE)</div> <div></div>				
00033	<div>COMMODITY CODE: 200-72-000000</div> <div>LOUISIANA STATE POLICE HONOR GUARD DRESS BLOUSE - CHOKER STYLE, PER THE ATTACHED SPECIFICATIONS.</div> <div>BRAND: MARTINS, STYLE NO.: 33666 OR APPROVED EQUAL</div> <div>SPECIFY BRAND (& NUMBER IF APPLICABLE)</div> <div></div>	20	EACH		
00034	<div>COMMODITY CODE: 200-72-000000</div> <div>LOUISIANA STATE POLICE COLONELS STAFF: DRESS BLOUSE - LAPEL COLLAR STYLE, PETC. THE ATTACHED SPECIFICATIONS.</div> <div>BRAND: MARTIN, STYLE NO.: 33696 OR APPROVED EQUAL</div> <div>UNIFORMS ARE TO BE CUSTOM MADE TO INDIVIDUAL MEASUREMENTS AND FITTINGS.</div> <div>SPECIFY BRAND (& NUMBER IF APPLICABLE)</div> <div></div>	9	EACH		